




**STONEGATE**

# THE DIAMOND BOOK

Europes most-trusted provider of specialist products & knowledge to stone fabricators

EDITION

21



**CONTENTS**

|                        |     |
|------------------------|-----|
| Large Blades           | 8   |
| Small Blades           | 14  |
| Core Drills            | 20  |
| Saw Milling Wheels     | 24  |
| Routers                | 28  |
| CNC Wheels             | 32  |
| CNC Profiles           | 38  |
| CNC Cones              | 50  |
| Edge Polishing         | 54  |
| Hand Polishing         | 58  |
| Brushes & Felt         | 64  |
| Backing Pads           | 68  |
| Silicone Carbide Discs | 72  |
| Lifting Equipment      | 78  |
| Chemicals & Adhesives  | 88  |
| Hand Tools             | 104 |
| Installation           | 110 |










**OUR BRANDS:**



**HOW TO USE THIS BOOK**

Throughout this tooling guide, we have, where appropriate, marked products with icons representing the types of materials they are suitable for use with, the type of fitting they require, and even which products are exclusive to Stonegate, what are our top products, fabricators favourites and what tools are accredited for use with specific materials. Look out for the symbols below to help you decide the right tools and attachments for you.

**If you have any queries, just call us on 01482 620400 for help and advice**

- Tools for GRANITE 
- Tools for ENGINEERED STONE 
- Tools for MARBLE 
- Tools for ULTRA COMPACT SURFACES 
- Tools for CERAMIC 
- Tools for SLATE 
- Tools for PORCELAIN 
- Tools to be used WITHOUT WATER 
- Tools to be used WITH WATER 



## WHY CHOOSE STONEGATE?

As the UK's leading supplier to the stone cutting and composite industries, it's our mission to continue to support our customers and their businesses. Our aim is 100% customer satisfaction and we succeed in supplying a high-quality variety of products, delivering on time and always backed-up by our specialist technical knowledge.

## The UK's most trusted source of innovative products and expertise to stone fabricators.

### ORDERING

We know how important it that you have what you need when you need it. That's why we provide a simple and cost-effective way of getting urgent deliveries to site:

**Order before 16:00 if ordering in the UK for same day dispatch**  
**UK £200 nett carriage paid, Europe €250 nett carriage paid** (larger orders or high quantities may need to go on a pallet, get in touch to discuss) **European orders usually take 2-3 days delivery**

Confirmation of delivery options must be requested when address is outside the UK

 [WWW.STONEGATETOOLING.COM](http://WWW.STONEGATETOOLING.COM)

 **TEL: +44 (0) 1482 620400** /  [INFO@STONEGATETOOLING.CO.UK](mailto:INFO@STONEGATETOOLING.CO.UK)

**NEXT DAY  
DELIVERY**  
**98.39%**

**30 DAY  
RISK FREE  
GUARANTEE**

#### Stonegate will:

- ◆ Consistently provide their valued customers with quality performance products
- ◆ Select all products from reputable manufacturers
- ◆ Deliver orders to meet agreed delivery deadlines

**OUR AIM IS 100%  
CUSTOMER SATISFACTION**




## THE STONEGATE ONLINE TRADE ACCOUNT; THE EASY WAY TO DO BUSINESS

Stonegate is proud to offer their Online Trade Account. Customers can take advantage of all the benefits of Stonegate with the convenience of purchasing, managing credit, users, spending limits and addresses all with ease.

Here's just a selection of some of the great benefits to switching your account online:

- Access your account, terms and trade online for next day delivery where available
- View the details of your account and edit the details 24/7, whenever you need to
- Manage users on your account, spending authority and limits and statements in comfort and with ease
- 30 Day credit
- Thousands of products in-stock and available for next-day or same day delivery
- Personalised terms on the products you buy
- Targeted special offers
- Nationwide technical support on +44 (0) 1482 620400 and face-to-face coverage through our technical representatives





# LARGE BLADES

- / The Tempest Blade
- / The Conqueror Blade
- / The Speedmaster S Blade
- / The Type M Marble Blade
- / The Flush Blade
- / Sharpening Block

We have an impressive range of bridge saw blades in stock. Our relationships with the world's largest slab suppliers means we stock the specialist cutting tools needed to fabricate DEKTON & Neolith. We also work together to develop approved & recommended tools for use on these and other ultra compact surfaces to ensure efficient, safe and (chip-free) clean cutting.

## LARGE BLADES



### THE TEMPEST BLADE



The next-generation of stone cutting performance!

Using arranged diamond technology, the 26mm layered diamond segments make the cutting power of this high-speed blade truly remarkable - achieving 2-3m/min through engineered stone and at least 2m/min through granite. Using 9 layers of arranged diamond technology, each and every diamond is placed exactly where maximum performance can be achieved. This strategic placement of diamonds ensures that every diamond's full potential is reached and our industry-leading 26-millimetre segments ensure the longest life of any comparable blade of this type. Enjoy the TEMPEST's next-generation cutting power which means less stress on your machine, more value for money for your business and a neater cut than ever before.



| Stock No.          | Blade Diameter | RPM  | Feed Rate    |
|--------------------|----------------|------|--------------|
| 01.41.35           | Ø 350mm        | 2000 | 2 - 3m / min |
| 01.41.40 / 2H12100 | Ø 400mm        | 1800 | 2 - 3m / min |
| 01.41.45 / 2H12100 | Ø 450mm        | 1500 | 2 - 3m / min |
| 01.41.50 / 2H12100 | Ø 500mm        | 1300 | 2 - 3m / min |

### THE CONQUEROR BLADE



The Conqueror, exclusively available from Stonegate, exists to dominate your workshop!

Expertly balancing cutting performance, speed, life and versatility without sacrificing finished cut quality, the NEW Conqueror diamond bridge saw blade is the latest addition to the Stonegate range! Featuring a specialist granite and quartz diamond matrix within its 48, 18mm segments, this powerful diamond blade delivers effective and efficient everyday cutting power with 20% more diamond segment than most 'standard' 15mm diamond bridge saw blades available today.



| Stock No.      | Blade Diameter             | RPM  | Feed Rate        |
|----------------|----------------------------|------|------------------|
| 01.60.35GS     | Ø 350mm                    | 1650 | 1.8 - 2.5m / min |
| 01.60.40GS     | Ø 400mm                    | 1450 | 1.8 - 2.5m / min |
| 01.60.45GS     | Ø 450mm                    | 1275 | 1.8 - 2.5m / min |
| 01.60.45GS/CNC | Ø 450mm (w/ CNC peg holes) | 1275 | 1.8 - 2.5m / min |
| 01.60.50GS     | Ø 500mm                    | 1150 | 1.8 - 2.5m / min |

### THE SPEEDMASTER S BLADE



The fastest blade in Stonegate history! The Speed Master diamond bridge saw blade has been specifically developed for high-speed production. This next-generation diamond blade allows you to safely run at an incredible 8m/min through 30mm engineered stone. The powerful and precise cutting power of the Speed Master lets you transform your production, getting more finished jobs out the door and taking your business to the next level.



| Stock No.    | Blade Diameter                    | RPM  | Feed Rate                          |
|--------------|-----------------------------------|------|------------------------------------|
| 01.179.40SMS | Ø 400mm with Donatoni & Peg holes | 2400 | Engineered Stone 6000mm-8000mm/Min |

### ITALDIAMANT NEXT SAW BLADE



The Italdiamant Next Blade is the next generation blade for cutting every material known to worktop fabricators! With unprecedented speeds and no need to change saw blade between material changes this really is the industry answer to the challenges fabricators face with time constraints. Beware, this blade is extremely fast!



| Stock No. | Blade Diameter                   | RPM  | Feed Rate (Engineered Stone)             |
|-----------|----------------------------------|------|--|
| 01.179.40 | 400mm Italdiamant NEXT Saw Blade | 3000 | 400mm-600mm/Min - Dekton 2000-2500mm/Min |

## THE TYPE M MARBLE BLADE



The Master of Marble  
The Cherokee Type M, exclusive to Stonegate, is a premium quality blade suitable for all types of marble. This blade provides a clean, accurate cut with a long life and works equally well on softer stones such as travertine and limestone.



| Stock No. | Blade Diameter | RPM  | Feed Rate    |
|-----------|----------------|------|--------------|
| 01.60.30M | Ø 300mm        | 2870 | 1 - 2m / min |
| 01.60.35M | Ø 350mm        | 2450 | 1 - 2m / min |
| 01.60.40M | Ø 400mm        | 2150 | 1 - 2m / min |
| 01.60.45M | Ø 450mm        | 1910 | 1 - 2m / min |
| 01.60.50M | Ø 500mm        | 1720 | 1 - 2m / min |
| 01.60.60M | Ø 600mm        | 1430 | 1 - 2m / min |

## THE FLUSH BLADE




A horizontal, reinforced blade suitable for splicing and reducing upstands from 30mm to 20mm and milling down stone. Commonly known as a 'splicing blade', this flush cutter is capable of cutting all types of granite and engineered stone with ease. The blade comes with 6 x C/S 13mm Holes 100mm.




| Stock No.          | Blade Diameter (mm) | Fitting         |
|--------------------|---------------------|-----------------|
| 01.60.30-6         | Ø 300mm             | 6 x C Hard 13mm |
| 01.60.30-6 UROR TT | Ø 300mm             | 6 x C Soft 13mm |

## SHARPENING BLOCK

The Blue sharpening block is the must have tool for any stone workshop. Simply cut into the block to wear away the bond and expose new diamonds, this ensures that you are always getting the best cut possible. Save money and don't throw away old blunt tooling, simply sharpen and reuse.



| Stock No. | Blade Diameter (mm)                    |
|-----------|--|
| 50.180.01 | Blue Sharpening Block 320 x 320 x 50mm |



# SMALL BLADES

- / K Porcelain
- / Vanity Blades
- / Zensis
- / Hurricane
- / Multi Blade
- / Convex Blade
- / Turbo Diamond Blade
- / Jigsaw Blade

As the market leading supplier of diamond stone cutting tools in the UK, we are the industry experts who can not only advise on the best equipment needed for your jobs, but also help you get the most from your tools to ensure a perfect finished cut.

## SMALL BLADES

**K PORCELAIN**  
GR ES MA UCS



This turbo blade is excellent for cutting UCS materials. Designed to dissipate heat during the cutting process, very important when cutting ultra-compact products and producing a very clean cut without chipping.




| Stock No.  | Blade Diameter | Fitting     |
|------------|----------------|-------------|
| 02.52.12P  | ∅ 125mm        | 22.2mm Bore |
| 02.52.12PM | ∅ 125mm        | M14         |
| 02.52.15P  | ∅ 150mm        | 22.2mm Bore |
| 02.52.18P  | ∅ 180mm        | 22.2mm Bore |
| 02.52.23P  | ∅ 230mm        | 22.2mm Bore |

**VANITY BLADES**  
WET DRY GR ES MA



This high-quality electroplated vanity blade enables fast and effective cutting and grinding for marble and limestone. Often used for cutting curves, the diamond coating enables aggressive stock removal and a rigid body ensures strength. This vanity blade gives a smooth, clean cut and features a 22.2mm bore fitting.



| Stock No.  | Blade Diameter | Fitting     |
|------------|----------------|-------------|
| 03.54.12N  | ∅ 125mm        | 22.2mm Bore |
| 03.54.12NM | ∅ 125mm        | M14         |
| 03.54.15N  | ∅ 150mm        | 22.2mm Bore |
| 03.54.15NM | ∅ 150mm        | M14         |

**ZENESIS**  
GR ES



The Zenesis blade is specifically designed for granite and quartz. The Zenesis blade is exclusive to Stonegate and uses the latest in diamond technology to give you a clean and fast cut, while ensuring to keep cool to avoid burning. Available in a range of sizes fitting to a 22.2mm bore.



| Stock No. | Blade Diameter | Fitting     |
|-----------|----------------|-------------|
| 02.155.11 | ∅ 115mm        | 22.2mm bore |
| 02.155.12 | ∅ 125mm        | 22.2mm bore |
| 02.155.15 | ∅ 150mm        | 22.2mm bore |
| 02.155.18 | ∅ 180mm        | 22.2mm bore |
| 02.155.23 | ∅ 230mm        | 22.2mm bore |

### THE BLACK PANTHA BLADE

A high-quality segmented blade giving fast cutting and high performance with an exceptionally clean cut, even on hard materials. The segments help to reduce dust and keep the cutting edge cool; making overall ease of use very user-friendly.



| Stock No.  | Blade Diameter (mm) | Fitting     |
|------------|---------------------|-------------|
| 02.157.11  | 115mm / 4 1/2"      | 22.2mm Bore |
| 02.157.12  | 125mm / 5"          | 22.2mm Bore |
| 02.157.15  | 150mm / 6"          | 22.2mm Bore |
| 02.157.23  | 230mm / 9"          | 22.2mm Bore |
| 02.157.12M | 125mm / 5"          | M14         |

**HURRICANE**  
DRY GR ES MA



Multi-purpose stone cutting blade, giving an excellent cutting performance as well as life. A firm Stonegate favourite and liked by many of our customers due to its versatility and performance.



| Stock No.   | Blade Diameter | Fitting     |
|-------------|----------------|-------------|
| 02.155.12H  | 125mm          | 22.2mm Bore |
| 02.155.12HM | 125mm          | M14         |
| 02.155.15H  | 150mm          | 22.2mm Bore |
| 02.155.15HM | 150mm          | M14         |
| 02.155.18H  | 180mm          | 22.2mm Bore |
| 02.155.23H  | 230mm          | 22.2mm Bore |

## MULTI BLADE



MA

This blade is specifically designed for grinding granite. Fast and aggressive work saving time and cost, most commonly known as the granite version of a vanity blade.



| Stock No. | Blade Diameter | Fitting |
|-----------|----------------|---------|
| 02.52.12C | Ø 125mm        | M14     |

## CONVEX BLADE



The Convex blade is purpose-designed for cutting curves, corners and vanity units in granite and engineered stone.



| Stock No. | Blade Diameter | Fitting     |
|-----------|----------------|-------------|
| 02.56.12C | Ø 125mm        | 22.2mm Bore |

## TURBO DIAMOND BLADE



WET DRY GR ES

Suitable for cutting the corners out of square bowls and getting into small, awkward areas this blade is also ideal for cutting out sockets and completing detailed work. Remember, for the best life of the blade use wet!



| Stock No. | Blade Diameter | Fitting |
|-----------|----------------|---------|
| 02.45.06M | Ø 65mm         | M14     |

## JIGSAW BLADE



Suitable for cutting the corners out of square bowls this excellent invention is also ideal for cutting out hobs when needed.



02.41.01



02.94.03

| Stock No. | Description                                      |
|-----------|--|
| 02.41.01  | 8.5mmx1.2mm 30/40#Vacuum Brazed TShank 93mm long |
| 02.94.03  | Galeski B3 Jigsaw blade                          |



# CORE DRILLS

- / Sintered Diamond Core Drills
- / Vacuum Brazed Core Drills
- / Status Thin Wall Core Drills

Stonegate's Diamond Core Drills have been specifically designed to deliver the best cut possible, while still prioritising durability and longevity to give you excellent value. We have an excellent range suitable to a variety of materials and applications.

## CORE DRILLS

### SINTERED DIAMOND CORE DRILLS



Sintered diamond for granite and other hard materials. A high diamond concentration ensures consistent cutting and a good life. Featuring convenient dual fittings of 1/2" gas fitting with an M14 internal thread these are a perfect choice and can be used on an angle grinder and CNC machine, with water.



| Stock No. | Diameter | Fitting         |
|-----------|----------|-----------------|
| 12.52.06  | Ø 6mm    | 1/2" Gas or M14 |
| 12.52.07  | Ø 7mm    | 1/2" Gas or M14 |
| 12.52.08  | Ø 8mm    | 1/2" Gas or M14 |
| 12.52.10  | Ø 10mm   | 1/2" Gas or M14 |
| 12.52.12  | Ø 12mm   | 1/2" Gas or M14 |
| 12.52.14  | Ø 14mm   | 1/2" Gas or M14 |
| 12.52.15  | Ø 15mm   | 1/2" Gas or M14 |
| 12.52.18  | Ø 18mm   | 1/2" Gas or M14 |
| 12.52.20  | Ø 20mm   | 1/2" Gas or M14 |
| 12.52.25  | Ø 25mm   | 1/2" Gas or M14 |
| 12.52.30  | Ø 30mm   | 1/2" Gas or M14 |
| 12.52.35  | Ø 35mm   | 1/2" Gas or M14 |
| 12.52.40  | Ø 40mm   | 1/2" Gas or M14 |
| 12.52.45  | Ø 45mm   | 1/2" Gas or M14 |
| 12.52.50  | Ø 50mm   | 1/2" Gas or M14 |
| 12.52.56  | Ø 56mm   | 1/2" Gas or M14 |
| 12.52.60  | Ø 60mm   | 1/2" Gas or M14 |
| 12.52.65  | Ø 65mm   | 1/2" Gas or M14 |
| 12.52.75  | Ø 75mm   | 1/2" Gas or M14 |
| 12.52.80  | Ø 80mm   | 1/2" Gas or M14 |
| 12.52.90  | Ø 90mm   | 1/2" Gas or M14 |
| 12.52.95  | Ø 95mm   | 1/2" Gas or M14 |
| 12.52.102 | Ø 102mm  | 1/2" Gas or M14 |



### VACUUM BRAZED CORE DRILLS



Exceptionally hard wearing vacuum brazed diamond core drill for all types of granite, quartz & UCS. Featuring an M14 fitting and vacuum brazed strips giving protection for the body and enabling a cleaner cut. This durable tool allows for confident drilling. To be used at a recommended 4,800 - 5,200 RPM

| Stock No.   | Diameter | Length | Max RPM |
|-------------|----------|--------|---------|
| 11.41.06VB  | Ø 6mm    | 70mm   | 6500    |
| 11.41.10VB  | Ø 10mm   | 70mm   | 6500    |
| 11.41.12VB  | Ø 12mm   | 70mm   | 6500    |
| 11.41.15VB  | Ø 15mm   | 70mm   | 6500    |
| 11.41.20VB  | Ø 20mm   | 70mm   | 5000    |
| 11.41.25VB  | Ø 25mm   | 70mm   | 5000    |
| 11.41.30VB  | Ø 30mm   | 70mm   | 4500    |
| 11.41.35VB  | Ø 35mm   | 70mm   | 4500    |
| 11.41.40VB  | Ø 40mm   | 70mm   | 4500    |
| 11.41.50VB  | Ø 50mm   | 70mm   | 4000    |
| 11.41.80VB  | Ø 80mm   | 70mm   | 3500    |
| 11.41.92VB  | Ø 92mm   | 70mm   | 3500    |
| 11.41.102VB | Ø 102mm  | 70mm   | 3500    |

### STATUS THIN WALL CORE DRILLS



The Status Thin Wall Core Drills are a good quality contract range of thin-wall cores that are used for Coring holes in Granite Quartz & Marble.

Sold in sizes between 10mm & 45mm with a 1/2" Gas Fitting



| Stock No.  | Diameter | Max RPM   | Feed         |
|------------|----------|-----------|--------------|
| 12.155.10T | 10mm     | 2500-3000 | 50-100mm/min |
| 12.155.20T | 20mm     | 2500-3000 | 50-100mm/min |
| 12.155.25T | 25mm     | 2600      | 50-100mm/min |
| 12.155.30T | 30mm     | 2400      | 40-50mm/min  |
| 12.155.35T | 35mm     | 2200      | 40-50mm/min  |
| 12.155.40T | 40mm     | 2200      | 40-50mm/min  |
| 12.155.45T | 45mm     | 2000      | 40-50mm/min  |

### BLIND DRILL BITS- 1/2" GAS



Blind Diamond Core Drills for non-coring holes and to be used with water - suitable for all hard materials.  
50mm length RPM 5,600 - 6,200



| Stock No | Diameter | Max RPM | Feed Rate     |
|----------|----------|---------|---------------|
| ATS0403A | 5mm      | 6,000   | 30mm-30mm/min |
| ATS0503B | 6mm      | 6,000   | 30mm-30mm/min |
| ATS0803C | 8mm      | 5,800   | 25mm-30mm/min |
| ATS1003C | 10mm     | 5,800   | 25mm-30mm/min |
| ATS1203C | 12mm     | 5,600   | 25mm-30mm/min |


### BLIND DRILL BITS- 10MM SHANK



Blind Diamond Core Drills for non-coring holes and to be used with water - suitable for all hard materials.  
50mm length RPM 5,600 - 6,200



| Stock No | Diameter | Max RPM | Feed Rate                      |
|----------|----------|---------|--------------------------------|
| ATS0403A | 5mm      | 6,000   | 30mm-30mm/min                  |
| ATS0503B | 6mm      | 6,000   | 30mm-30mm/min                  |
| ATS0803C | 8mm      | 5,800   | 25mm-30mm/min                  |
| ATS1003C | 10mm     | 5,800   | 25mm-30mm/min                  |
| ATS1203C | 12mm     | 5,600   | 25mm-30mm/min                  |
| AZT0572B | 10mm     |         | 1/2" Gas Attachment Tip Holder |



# SAW MILLING WHEELS

- / Nylon Milling Wheels
- / Steel Body Milling Wheels

Our range of milling wheels are specifically chosen for their performance and reliability and are extensively designed and tested solely for stone fabrications.


## SAW MILLING WHEELS

### NYLON MILLING WHEELS



The Stonegate Nylon Milling Wheel has a quality metal Rim with Diamond Segments for precision cutting and a Nylon silencing core for a quieter cut. The Nylon body allows for a lighter, vibration-free quieter cut, which causes less stress on the motor of the saw and more comfortable experience of the operation while reducing the risk of noise-related injury.

Recommended RPM: 2000RPM.






| Stock No.    | Diameter | Width | Fitting        |
|--------------|----------|-------|----------------|
| 07.190.3540N | ∅ 350mm  | 40mm  | 50 / 60mm Bore |
| 07.190.4025N | ∅ 400mm  | 25mm  | 50 / 60mm Bore |
| 07.190.4030N | ∅ 400mm  | 30mm  | 50 / 60mm Bore |

### STEEL BODY MILLING WHEELS



Diamond Stone Milling Wheels. High-powered, metal-core milling wheels designed to remove a wide amount of material for grinding down and calibrating slabs to specific thicknesses. Segment Depth 8mm - Segment Width ranges between 8mm & 40mm - Cutting rates: 400mm x 30mm milling wheel cuts 5mm in one pass at feed rate of 500mm/min.



| Stock No.   | Diameter | Width | Fitting        |
|-------------|----------|-------|----------------|
| 07.60.4010  | ∅ 400    | 10mm  | 50 / 60mm Bore |
| 07.60.40    | ∅ 400    | 20mm  | 50 / 60mm Bore |
| 07.190.4040 | ∅ 400    | 40mm  | 50 / 60mm Bore |
| 07.60.35    | ∅ 350    | 20mm  | 50 / 60mm Bore |
| 07.60.4008  | ∅ 400    | 8mm   | 50 / 60mm Bore |
| 07.60.4030  | ∅ 400    | 30mm  | 50 / 60mm Bore |



# ROUTERS & DRUMS

- / Status High-Speed Router
- / Electroplated Router
- / Reaming Routers
- / Crown Routers

Stonegate works with every CNC manufacturer, giving us the inside knowledge on the machines and the best tools to use on them. All our CNC tools are manufacturer recommended giving you peace of mind.

# ROUTERS & DRUMS

## STATUS HIGH-SPEED ROUTER



The Status High-Speed Router has smaller, angled segments and is lighter than its counterparts in the Status range but that doesn't sacrifice performance as this High-Speed Router is capable of running at nearly double the speed of the standard Status tools. This high-quality, arranged diamond router for granite & quartz has a reinforced end segment for plunging and rebating and a medium/hard bond for a long life but will cut almost any material with exceptional speed.

This performance Status Router means more speed, more life and greater value for your business. Put simply, if you want to maximise your stone CNC investment, pick Status as your tooling brand of choice.



| Stock No. | Diameter | Length | Segment              |
|-----------|----------|--------|----------------------|
| 15.155.22 | Ø 22mm   | 42mm   | End-Segment          |
| 15.155.26 | Ø 20mm   | 40mm   | 4-Seg w/ End Segment |
| 15.155.20 | Ø 20mm   | 50mm   | End-Segment          |
| 15.155.21 | Ø 20mm   | 40mm   | End-Segment          |
| 15.155.25 | Ø 25mm   | 40mm   | End-Segment          |

## ELECTROPLATED ROUTER



This 16 x 45mm Electroplated router is perfect for marble slate and sandstone. It will give you a fantastic finish without the risk of chipping. RPM - 6,000 - 10,000 Feed - 350 - 700 mm/Min



| Stock No. | Diameter | Length |
|-----------|----------|--------|
| 15.68.161 | Ø 16mm   | 45mm   |

## REAMING ROUTERS




Commonly used for rebates, cutting edges and enlarging tap holes in stone tiles or slabs. Suitable for cutting marble, lime-stone, slate and other soft types of stones.




| Stock No. | Diameter | Length | Description               |
|-----------|----------|--------|---------------------------|
| 15.87.105 | Ø 10mm   | 50mm   | Vacuum Brazed M14 Fitting |
| 15.87.20R | Ø 20mm   | 50mm   | M14 Fitting               |

## CROWN ROUTERS

For use with router bodies, for bowl cut-outs. Mainly used on smaller manual machines - 20mm diameter. Also Used for Rebating Flush fit hobs too



| Stock No | Product                 | Description   |
|----------|-------------------------|---|
| AZT1518A | Crown Router Holder RHT | Crown Router Holder 17x46mm ½"G-M12 Fitting Right Hand Thread |
| AZT1518L | Crown Router Holder LHT | Crown Router Holder 17x46mm ½"G-M12 Fitting Left Hand Thread  |
| 16.52.12 | Crown Router RHT        | 20 X 22mm M12 Crown Router (Right Hand Thread)                |
| 16.52.13 | Crown Router LHT        | 20 X 22mm M12 Crown Router (Left Hand Thread)                 |



# CNC WHEELS

- / Status Recess Wheels
- / Stubbing Wheel
- / Fluting Wheels
- / Drain Groove Tips
- / Engraving Mills
- / Cylindrical Mill
- / Blue Diamond Tank Router

Your CNC machine is at the heart of your business, so you can be sure in choosing tools from Stonegate you are choosing the best and most efficient tools on the market.

## CNC RECESS WHEELS

### 1/2" GAS ATTACHMENT FOR STUBBING WHEEL



1/2" Gas to 6 hole Flange adapter to convert 1/2" Gas fitting to Stubbing/Milling wheel holder. Used for initial stock removal of sunken/recess drainers.



| Stock No. | Diameter | Grit | Description   |
|-----------|----------|------|---|
| AZT0566A  |          |      | 1/2" Gas Attachment for Milling Wheel - D50 +3F M6/63 |

### 20MM SEGMENTED MILLING WHEEL - 50 CENTRE 3 HOLE



Budget CNC Milling Wheels for grinding down and calibrating granite and engineered stone slabs to specific thicknesses.



| Stock No. | Diameter | Grit | Description                                     |
|-----------|----------|------|---|
| 07.45.09  | Ø 88mm   |      | 20mm Segmented Milling Wheel - 50 Centre 3 Hole |

### STUBBING WHEEL

Heavy Duty CNC Milling Wheels for grinding down and calibrating granite and engineered stone slabs to specific thicknesses.



| Stock Number | Diameter | Length | Description                        |
|--------------|----------|--------|------------------------------------|
| 07.119.88    | 92mm     | 30mm   | W-Seg Heavy Duty CNC Milling Wheel |

### ELECTROPLATED MILLING WHEEL

Electroplated CNC Milling Wheels for grinding down and calibrating Marble and Limestone slabs to specific thicknesses.



| Stock Number | Diameter | Length | Description                                    |
|--------------|----------|--------|--|
| AME00030     | 85mm     | 20mm   | Electroplated Milling Wheel - 50 Centre 3 Hole |

### 120MM Ø 60° METAL RECESS HEAD



This creates the chamfer on the recess and also smooths the flat of a recess in preparation for polish wheels.



| Stock No.   | Diameter | Grit | Description                   |
|-------------|----------|------|-------------------------------|
| 57.DR170000 | Ø 35mm   | 100G | 120mm Ø 60° Metal Recess Head |
| 57.DR170001 | Ø 35mm   | 325G | 120mm Ø 60° Metal Recess Head |

### E/S & GRANITE RECESS WHEEL MAGNETIC FITTING



Premium magnetic recess wheels for fabricating and polishing the flat part of recess drainers.




| Stock No.               | Diameter | Grit  | Description                                 |
|-------------------------|----------|-------|---|
| 58.10090.MAG.EG50.117   | Ø 100mm  | 50G   | E/S & Granite Recess Wheel Magnetic Fitting |
| 58.10090.MAG.EG100.117  | Ø 100mm  | 100G  | E/S & Granite Recess Wheel Magnetic Fitting |
| 58.10090.MAG.EG200.117  | Ø 100mm  | 200G  | E/S & Granite Recess Wheel Magnetic Fitting |
| 58.10090.MAG.EG500.117  | Ø 100mm  | 500G  | E/S & Granite Recess Wheel Magnetic Fitting |
| 58.10090.MAG.EG1000.117 | Ø 100mm  | 1000G | E/S & Granite Recess Wheel Magnetic Fitting |
| 58.10090.MAG.EG2000.117 | Ø 100mm  | 2000G | E/S & Granite Recess Wheel Magnetic Fitting |
| 58.10090.MAG.EG3000.117 | Ø 100mm  | 3000G | E/S & Granite Recess Wheel Magnetic Fitting |

### 60° CHAMFERING POLISHING WHEEL MAGNETIC FITTING



Premium magnetic recess wheels for fabricating and polishing the chamfer 60 degree part of recess drainers.



| Stock No.               | Diameter | Grit  | Description                                     |
|-------------------------|----------|-------|---|
| 58.11060.MAG.EG100.117  | Ø 110mm  | 100G  | 60° Chamfering Polishing Wheel Magnetic Fitting |
| 58.11060.MAG.EG200.117  | Ø 110mm  | 200G  | 60° Chamfering Polishing Wheel Magnetic Fitting |
| 58.11060.MAG.EG500.117  | Ø 110mm  | 500G  | 60° Chamfering Polishing Wheel Magnetic Fitting |
| 58.11060.MAG.EG1000.117 | Ø 110mm  | 1000G | 60° Chamfering Polishing Wheel Magnetic Fitting |
| 58.11060.MAG.EG2000.117 | Ø 110mm  | 2000G | 60° Chamfering Polishing Wheel Magnetic Fitting |

## FLUTING WHEELS

Used for grinding decorative flutes and creating draining grooves, these larger, CNC wheels are specially designed for machine applications.



## 400 GRIT POLISHING WHEEL FOR GRANITE



| Stock Number               | Diameter | Thickness | Description                                 |
|----------------------------|----------|-----------|---|
| 58.14010.0530.<br>G400.129 | 140mm    | 10mm      | R5 Bore 30mm c/w 1 Hole                     |
| 58.14012.0830.<br>G400.129 | 140mm    | 12mm      | R8 Lux Flute Wheel Ø 30mm c/w 4Hole @ 8.5mm |
| 58.14015.1030.<br>G400.129 | 140mm    | 15mm      | R10 Lux Flute Wheel Bore 30mm               |

## 1000 GRIT POLISHING WHEEL FOR ENGINEERED STONE



| Stock Number | Diameter | Thickness | Description                                     |
|--------------|----------|-----------|---|
| 58.129.02    | 140mm    | 12mm      | R8 30mm Ø Lux Flute Wheel Pos 2 c/w 1x Peg Hole |

## 3000 GRIT POLISHING WHEEL FOR ENGINEERED STONE



| Stock Number | Diameter | Thickness | Description                                     |
|--------------|----------|-----------|---|
| 58.129.03    | 140mm    | 12mm      | R8 30mm Ø Lux Flute Wheel Pos 3 c/w 1x Peg Hole |

## DRAIN GROOVE TIPS

Drain groove milling tips for cutting drainer flutes in Granite & Quartz. Specially suited for very tight radius fluting, dog leg flutes and perimeter grooves around a recessed drain board.



| Stock Number | Size | Position |
|--------------|------|----------|
| 57.DFR00959  | 12mm | 1        |
| 57.DFR00960  | 12mm | 2        |
| 57.DFR00961  | 12mm | 3        |

## ENGRAVING MILLS

Engraving Mills for Lettering in Marble Granite or Quartz. The different Degree tips give a different look and shape to the lettering. These mills fit into a 10mm Shank 1/2" Gas holder on page 12 Code AZT0572B.



| Stock Number | Description                                    |
|--------------|--|
| AFW80005     | PCD 90° Granite Writing Mill 10 x 5mm          |
| AFW70005     | Widia 60° Granite Writing Mill 10 x 10mm Shank |
| AFW60010     | Widia 90° Marble Writing Mill 10mm Shank       |

## CYLINDRICAL MILL

Cylindrical Mills for grooving square channels in Granite and Quartz. Suited for milling tight radius for flush mount hob. Also used for milling LED grooves on underside of worktops. These mills have a working length when new of 30mm.




| Stock Number | Description                                      |
|--------------|--|
| 58.129.16    | 12 x 18mm long Cylindrical Mill 1/2" Gas Fitting |

## BLUE TANK ROUTER

Milling wheel for carving, milling and grinding granite and stone, removes a large amount of stock whilst maintaining a good life. Advantages over standard stubbing wheels are a better life of the tips whilst retaining excellent performance and more efficient segment use when carving. An excellent tool for robotic machines and 5-axis CNC's. 20mm Width



| Stock No     | Diameter | Fitting          |
|--------------|----------|------------------|
| 07.51.80     | 80mm     | 1/2" Gas Fitting |
| 07.51.110/25 | 110mm    | 1/2" Gas Fitting |
| 07.51.150    | 150mm    | 1/2" Gas Fitting |



# CNC PROFILES


- / 1/2" Gas
- / 35mm Bore
- / 22mm Bore

Stonegate's exclusive range of Status diamond CNC tools have been developed to reduce production times, maximise tool life whilst providing excellent quality finishes to make the most of your investment. Each CNC profiling tool is expertly calibrated to ensure your workshop has less set-up downtime.

## CNC PROFILES


### 1/2" GAS PROFILE TOOLS

#### STATUS Z45 20MM




| Stock Number | Pos | Max RPM  | Feed Rate         | Removal |
|--------------|-----|----------|-------------------|---------|
| 58.STA75373  | 1   | 6000 RPM | 800mm-1000mm /Min | 0.5mm   |
| 58.STA75374  | 2   | 6000 RPM | 800mm-1000mm /Min | 0.3mm   |
| 58.STA75375  | 3   | 6000 RPM | 800mm-1000mm /Min | 0.2mm   |
| 58.STA75376  | 4   | 6000 RPM | 700mm-900mm /Min  | 0.1mm   |
| 58.STA30292  | 5   | 2700RPM  | 800mm-1000mm /Min | 0.05mm  |
| 58.STA30293  | 6   | 2700RPM  | 800mm-1000mm /Min | 0.05mm  |
| 58.STA30294  | 7   | 2700RPM  | 800mm-1000mm /Min | 0.05mm  |

#### STATUS X20 20MM




| Stock Number | Pos | Max RPM  | Feed Rate         | Removal |
|--------------|-----|----------|-------------------|---------|
| 58.STA84137  | 1   | 6000 RPM | 800mm-1000mm /Min | 0.5mm   |
| 58.STA84138  | 2   | 6000 RPM | 800mm-1000mm /Min | 0.3mm   |
| 58.STA84139  | 3   | 6000RPM  | 800mm-1000mm /Min | 0.2mm   |
| 58.STA84140  | 4   | 6000 RPM | 700mm-900mm /Min  | 0.1mm   |
| 58.STA31777  | 5   | 2700RPM  | 800mm-1000mm /Min | 0.05mm  |
| 58.STA31778  | 6   | 2700RPM  | 800mm-1000mm /Min | 0.05mm  |
| 58.STA31779  | 7   | 2700RPM  | 800mm-1000mm /Min | 0.05mm  |

#### STATUS X30 20MM



| Stock Number | Pos | Max RPM  | Feed Rate         | Removal |
|--------------|-----|----------|-------------------|---------|
| 58.STA83759  | 1   | 6000 RPM | 800mm-1000mm /Min | 0.5mm   |
| 58.STA83760  | 2   | 6000 RPM | 800mm-1000mm /Min | 0.3mm   |
| 58.STA83761  | 3   | 6000 RPM | 800mm-1000mm /Min | 0.2mm   |
| 58.STA83762  | 4   | 6000 RPM | 700mm-900mm /Min  | 0.1mm   |
| 58.STA31577  | 5   | 2700RPM  | 800mm-1000mm /Min | 0.05mm  |
| 58.STA31578  | 6   | 2700RPM  | 800mm-1000mm /Min | 0.05mm  |
| 58.STA31579  | 7   | 2700RPM  | 800mm-1000mm /Min | 0.05mm  |


#### STATUS E42 B4 20MM



| Stock Number | Pos | Max RPM  | Feed Rate         | Removal |
|--------------|-----|----------|-------------------|---------|
| 57.STA83875  | 1   | 6000 RPM | 800mm-1000mm /Min | 0.5mm   |
| 57.STA83876  | 2   | 6000 RPM | 800mm-1000mm /Min | 0.3mm   |
| 57.STA83877  | 3   | 6000RPM  | 800mm-1000mm /Min | 0.2mm   |

| Stock Number | Pos | Max RPM  | Feed Rate         | Removal |
|--------------|-----|----------|-------------------|---------|
| 57.STA83878  | 4   | 6000 RPM | 800mm-1000mm /Min | 0.4mm   |
| 57.STA31633  | 5   | 2700 RPM | 800mm-1000mm /Min | 0.5mm   |


#### STATUS T33 20MM



| Stock Number | Pos | Max RPM  | Feed Rate         | Removal |
|--------------|-----|----------|-------------------|---------|
| 58.STA75373  | 1   | 6000 RPM | 800mm-1000mm /Min | 0.5mm   |
| 58.STA77531  | 2   | 6000 RPM | 800mm-1000mm /Min | 0.3mm   |
| 58.STA77532  | 3   | 6000 RPM | 800mm-1000mm /Min | 0.2mm   |
| 58.STA75459  | 4   | 6000 RPM | 700mm-900mm /Min  | 0.1mm   |
| 58.STA30103  | 5   | 2700RPM  | 800mm-1000mm /Min | 0.05mm  |
| 58.STA30104  | 6   | 2700RPM  | 800mm-1000mm /Min | 0.05mm  |
| 58.STA30105  | 7   | 2700RPM  | 800mm-1000mm /Min | 0.05mm  |

# 35MM BORE PROFILE TOOLS

## STATUS A30 R15





| Stock Number | Pos | Max RPM  | Feed Rate          | Removal    |
|--------------|-----|----------|--------------------|------------|
| 58.STA77977  | 1   | 6000 RPM | 800mm-1200mm /Min  | 2mm        |
| 58.STA72692  | 2   | 6000 RPM | 1800mm-2500mm /Min | 0.4mm      |
| 58.STA72693  | 3   | 6000 RPM | 1800mm-2500mm /Min | 0.2mm      |
| 58.STA72694  | 4   | 6000 RPM | 800mm-1500mm /Min  | 0.1-0.05mm |
| 58.STA30346  | 5   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30347  | 6   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30348  | 7   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |

## STATUS D33 R5




| Stock Number | Pos | Max RPM  | Feed Rate          | Removal    |
|--------------|-----|----------|--------------------|------------|
| 58.STA73156  | 1   | 6000 RPM | 800mm-1200mm /Min  | 2mm        |
| 58.STA73157  | 2   | 6000 RPM | 1800mm-2500mm /Min | 0.4mm      |
| 58.STA73158  | 3   | 6000 RPM | 1800mm-2500mm /Min | 0.2mm      |
| 58.STA73159  | 4   | 6000 RPM | 800mm-1500mm /Min  | 0.1-0.05mm |
| 58.STA31505  | 5   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA31506  | 6   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA31507  | 7   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |

## STATUS E43 B8




| Stock Number | Pos | Max RPM  | Feed Rate          | Removal    |
|--------------|-----|----------|--------------------|------------|
| 58.STA76392  | 1   | 6000 RPM | 800mm-1200mm /Min  | 2mm        |
| 58.STA76393  | 2   | 6000 RPM | 1800mm-2500mm /Min | 0.4mm      |
| 58.STA76394  | 3   | 6000 RPM | 1800mm-2500mm /Min | 0.2mm      |
| 58.STA76395  | 4   | 6000 RPM | 800mm-1500mm /Min  | 0.1-0.05mm |
| 58.STA30839  | 5   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30840  | 6   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30841  | 7   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |

## STATUS F23 R10




| Stock Number | Pos | Max RPM  | Feed Rate          | Removal    |
|--------------|-----|----------|--------------------|------------|
| 58.STA74906  | 1   | 6000 RPM | 800mm-1200mm /Min  | 2mm        |
| 58.STA74907  | 2   | 6000 RPM | 1800mm-2500mm /Min | 0.4mm      |
| 58.STA74908  | 3   | 6000 RPM | 1800mm-2500mm /Min | 0.2mm      |
| 58.STA74909  | 4   | 6000 RPM | 800mm-1500mm /Min  | 0.1-0.05mm |
| 58.STA31672  | 5   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA31673  | 6   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA31674  | 7   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |

## STATUS F35




| Stock Number | Pos | Max RPM  | Feed Rate          | Removal    |
|--------------|-----|----------|--------------------|------------|
| 58.STA70415  | 1   | 6000 RPM | 800mm-1200mm /Min  | 2mm        |
| 58.STA70898  | 2   | 6000 RPM | 1800mm-2500mm /Min | 0.4mm      |
| 58.STA70899  | 3   | 6000 RPM | 1800mm-2500mm /Min | 0.2mm      |
| 58.STA70900  | 4   | 6000 RPM | 800mm-1500mm /Min  | 0.1-0.05mm |
| 58.STA30019  | 5   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30020  | 6   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30021  | 7   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |

## STATUS H36




| Stock Number | Pos | Max RPM  | Feed Rate          | Removal    |
|--------------|-----|----------|--------------------|------------|
| 58.STA72618  | 1   | 6000 RPM | 800mm-1200mm /Min  | 2mm        |
| 58.STA71790  | 2   | 6000 RPM | 1800mm-2500mm /Min | 0.4mm      |
| 58.STA71791  | 3   | 6000 RPM | 1800mm-2500mm /Min | 0.2mm      |
| 58.STA71792  | 4   | 6000 RPM | 800mm-1500mm /Min  | 0.1-0.05mm |
| 58.STA30244  | 5   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30245  | 6   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30246  | 7   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |

## STATUS L33




| Stock Number | Pos | Max RPM  | Feed Rate          | Removal    |
|--------------|-----|----------|--------------------|------------|
| 58.STA72867  | 1   | 6000 RPM | 800mm-1200mm /Min  | 2mm        |
| 58.STA72868  | 2   | 6000 RPM | 1800mm-2500mm /Min | 0.4mm      |
| 58.STA72869  | 3   | 6000 RPM | 1800mm-2500mm /Min | 0.2mm      |
| 58.STA72870  | 4   | 6000 RPM | 800mm-1500mm /Min  | 0.1-0.05mm |
| 58.STA30740  | 5   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30741  | 6   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30742  | 7   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |

## STATUS O33




| Stock Number | Pos | Max RPM  | Feed Rate          | Removal    |
|--------------|-----|----------|--------------------|------------|
| 58.STA70120  | 1   | 6000 RPM | 800mm-1200mm /Min  | 2mm        |
| 58.STA71234  | 2   | 6000 RPM | 1800mm-2500mm /Min | 0.4mm      |
| 58.STA71235  | 3   | 6000 RPM | 1800mm-2500mm /Min | 0.2mm      |
| 58.STA71236  | 4   | 6000 RPM | 800mm-1500mm /Min  | 0.1-0.05mm |
| 58.STA31039  | 5   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA31040  | 6   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA31041  | 7   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |

## STATUS V22 R10.5





| Stock Number | Pos | Max RPM  | Feed Rate          | Removal    |
|--------------|-----|----------|--------------------|------------|
| 58.STA75569  | 1   | 6000 RPM | 800mm-1200mm /Min  | 2mm        |
| 58.STA75571  | 2   | 6000 RPM | 1800mm-2500mm /Min | 0.4mm      |
| 58.STA75572  | 3   | 6000 RPM | 1800mm-2500mm /Min | 0.2mm      |
| 58.STA75573  | 4   | 6000 RPM | 800mm-1500mm /Min  | 0.1-0.05mm |
| 58.STA30340  | 5   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30341  | 6   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30342  | 7   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |


## STATUS V33 R15



| Stock Number | Pos | Max RPM  | Feed Rate          | Removal    |
|--------------|-----|----------|--------------------|------------|
| 58.STA74831  | 1   | 6000 RPM | 800mm-1200mm /Min  | 2mm        |
| 58.STA73774  | 2   | 6000 RPM | 1800mm-2500mm /Min | 0.4mm      |
| 58.STA73775  | 3   | 6000 RPM | 1800mm-2500mm /Min | 0.2mm      |
| 58.STA73776  | 4   | 6000 RPM | 800mm-1500mm /Min  | 0.1-0.05mm |
| 58.STA30031  | 5   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30032  | 6   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30033  | 7   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |


STATUS X20 22X15  
(35MM BORE)

| Stock Number | Pos | Max RPM  | Feed Rate          | Removal    |
|--------------|-----|----------|--------------------|------------|
| 58.STA74430  | 1   | 6000 RPM | 800mm-1200mm /Min  | 2mm        |
| 58.STA81364  | 2   | 6000 RPM | 1800mm-2500mm /Min | 0.4mm      |
| 58.STA81365  | 3   | 6000 RPM | 1800mm-2500mm /Min | 0.2mm      |
| 58.STA81366  | 4   | 6000 RPM | 800mm-1500mm /Min  | 0.1-0.05mm |
| 58.STA30055  | 5   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30056  | 6   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30067  | 7   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |

STATUS X30 33X25  
(35MM BORE)



| Stock Number  | Pos | Max RPM  | Feed Rate          | Removal    |
|---------------|-----|----------|--------------------|------------|
| 58.STA77755 1 | 1   | 6000 RPM | 800mm-1200mm /Min  | 2mm        |
| 58.STA84301 2 | 2   | 6000 RPM | 1800mm-2500mm /Min | 0.4mm      |
| 58.STA84302 3 | 3   | 6000 RPM | 1800mm-2500mm /Min | 0.2mm      |
| 58.STA84303 4 | 4   | 6000 RPM | 800mm-1500mm /Min  | 0.1-0.05mm |
| 58.STA31895 5 | 5   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA31896 6 | 6   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA31897 7 | 7   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |

### STATUS Z45



| Stock Number | Pos | Max RPM  | Feed Rate          | Removal    |
|--------------|-----|----------|--------------------|------------|
| 58.STA76206  | 1   | 6000 RPM | 800mm-1200mm /Min  | 2mm        |
| 58.STA74373  | 2   | 6000 RPM | 1800mm-2500mm /Min | 0.4mm      |
| 58.STA76207  | 3   | 6000 RPM | 1800mm-2500mm /Min | 0.2mm      |
| 58.STA76208  | 4   | 6000 RPM | 800mm-1500mm /Min  | 0.1-0.05mm |
| 58.STA30322  | 5   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30323  | 6   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30324  | 7   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |




### STATUS Y30



| Stock Number | Degree | Description                     |
|--------------|--------|---------------------------------|
| 57.STA72079  | 45°    | Corner Breaker 35mm Ø Pos 1     |
| DSE0940H     | 44.5°  | Electroplated Tool F35 D3 Pos 2 |


## 22MM BORE PROFILE TOOLS

### STATUS X20 22X15 (22MM BORE)



| Stock Number | Pos | Max RPM  | Feed Rate          | Removal    |
|--------------|-----|----------|--------------------|------------|
| 58.STA73620  | 1   | 6000 RPM | 800mm-1200mm /Min  | 2mm        |
| 58.STA74777  | 2   | 6000 RPM | 1800mm-2500mm /Min | 0.4mm      |
| 58.STA74778  | 3   | 6000 RPM | 1800mm-2500mm /Min | 0.2mm      |
| 58.STA74779  | 4   | 6000 RPM | 800mm-1500mm /Min  | 0.1-0.05mm |
| 58.STA30058  | 5   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30059  | 6   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30060  | 7   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |

### STATUS X30 33X25 (22MM BORE)



| Stock Number | Pos | Max RPM  | Feed Rate          | Removal    |
|--------------|-----|----------|--------------------|------------|
| 58.STA70405  | 1   | 6000 RPM | 800mm-1200mm /Min  | 2mm        |
| 58.STA81501  | 2   | 6000 RPM | 1800mm-2500mm /Min | 0.4mm      |
| 58.STA81502  | 3   | 6000 RPM | 1800mm-2500mm /Min | 0.2mm      |
| 58.STA81503  | 4   | 6000 RPM | 800mm-1500mm /Min  | 0.1-0.05mm |
| 58.STA30385  | 5   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30386  | 6   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |
| 58.STA30387  | 7   | 2700RPM  | 1000mm-1500mm /Min | 0.05mm     |



# CNC CONES

- / Brembana
- / Breton
- / Intermacc
- / Thibaut / VEM / Denver / Helios
- / Prussiani

Stonegate is the market leader for CNC tooling and parts, and our expertise and partnerships with leading manufacturers means we can offer approved quality products which are built to last and help maximise your investment. Our team is here to offer advice and support to help your business succeed and get the most from your fabrications.

## CNC CONES

### BREMBANA

ISO40 Stainless Steel Tool Holders for Brembana CNC Machines



| Stock Number | Description   |
|--------------|---|
| MVBR101NTI   | Brembana New Type - 1/2" Gas Tool Holder Stainless Steel    |
| MVBR115NTI   | Brembana New Type - 35mm x 39mm Tool Holder Stainless Steel |
| MVBR125NTI   | Brembana New Type - 35mm x 47mm Tool Holder Stainless Steel |

### BRETON

HSK80B & ISO40 Stainless Steel Tool Holders for Breton CNC Machines



| Stock Number  | Description  |
|---------------|--|
| MVBE101I      | Breton HSK80B 1/2" Gas Tool Holder Stainless Steel           |
| MVBE124I      | Breton HSK80B 35 x 39mm Tool Holder Stainless Steel          |
| MVBE125I      | Breton HSK80B 35 x 47mm Tool Holder Stainless Steel          |
| MVBE118       | Breton HSK80B Stubbing Wheel Tool Holder                     |
| MVBT101I      | Breton ISO40 Stainless Steel Cone 1/2" Gas MVIN900 Pull Stud |
| SMVBT-124L32I | Breton ISO40 Stainless Steel Cone 35x32mm MVIN900 Pull Stud  |

### INTERMAC

ISO40 Nickel Plated Tool Holders for Intermac CNC Machines



| Stock Number | Description   |
|--------------|---|
| MVIN101      | Intermac ISO 40 Cone - 1/2" Gas Tool Holder             |
| 57.D9112     | Intermac ISO40 22 x 34mm Cone (Mola Alta for 30mm tool) |
| 57.D9113     | Intermac ISO40 35 x 34mm Cone (Mola Alta for 30mm tool) |
| 57.D9138     | Intermac ISO40 35 x 47mm Cone                           |
| 57.D9163     | Intermac ISO40 Tool Cone, (POWER) Stubbing Wheel Holder |

### THIBAUT / VEM / DENVER / HELIOS

ISO40 Stainless Steel Tool Holders for Thibaut/VEM/Denver & Helios CNC Machines



| Stock Number | Description   |
|--------------|---|
| MVVE103I     | Thibaut / VEM - 1/2" Gas x 45mm Tool Holder Stainless Steel |
| MVVE124I     | Thibaut / VEM - 35 x 39mm Tool Holder Stainless Steel       |
| MVVE125I     | Thibaut / VEM - 35 x 47mm Tool Holder Stainless Steel       |

### PRUSSIANI

ISO40 Stainless Steel Tool Holders for Prussiani CNC Machines



| Stock Number | Description   |
|--------------|---|
| MVAG101I     | Prussiani 1/2" Gas Tool Holder Stainless Steel          |
| MVAG115I     | Prussiani ISO40 35mm x 39mm Tool Holder Stainless Steel |
| MVAG125I     | Prussiani ISO40 35mm x 47mm Tool Holder Stainless Steel |



# EDGE POLISHING

- / Abrasive Edge Polishing
- / In-Line
- / Arris
- / Bullnose
- / Razedge
- / Super Aggressive Pads
- / Chamfer Heads



Polishing is an essential part of the stone fabricating process and our extensive range of polishing tools, equipment and consumables reflects this.


## EDGE POLISHING

### ABRASIVE EDGE POLISHING



More durable, with superior shine, Stonegate's Abrasive Edge Polishing Wheels are in stock and available to order today. Abrasive Edge Polishing serves as an excellent alternative to diamond tooling. Our abrasive heads come with a snail lock fitting to attach to your edge polishing machine with ease. Available in In-Line, Arris and Bullnose.

### IN-LINE



| Stock No. | Diameter | Grit |
|-----------|----------|------|
| 28.198.01 | Ø 130mm  | 1G   |
| 28.198.02 | Ø 130mm  | 2G   |
| 28.198.03 | Ø 130mm  | 3G   |
| 28.198.05 | Ø 130mm  | 4G   |
| 28.198.06 | Ø 130mm  | 6G   |
| 28.198.07 | Ø 130mm  | 8G   |
| 28.198.09 | Ø 130mm  | 12G  |
| 28.198.62 | Ø 150mm  | 1M   |
| 28.198.63 | Ø 150mm  | 2M   |
| 28.198.64 | Ø 150mm  | 3M   |
| 28.198.65 | Ø 150mm  | 4M   |
| 28.198.66 | Ø 150mm  | 6M   |
| 28.198.67 | Ø 150mm  | 8M   |
| 28.198.69 | Ø 150mm  | 12M  |

### ARRIS



| Stock No. | Diameter | Grit |
|-----------|----------|------|
| 28.198.23 | Ø 130mm  | 2M   |
| 28.198.25 | Ø 130mm  | 4M   |
| 28.198.26 | Ø 130mm  | 6M   |
| 28.198.27 | Ø 130mm  | 8M   |

### BULLNOSE



| Stock No. | Diameter | Grit |
|-----------|----------|------|
| 28.198.42 | Ø 130mm  | 1M   |
| 28.198.43 | Ø 130mm  | 2M   |
| 28.198.44 | Ø 130mm  | 3M   |
| 28.198.45 | Ø 130mm  | 4M   |
| 28.198.46 | Ø 130mm  | 6M   |
| 28.198.47 | Ø 130mm  | 8M   |
| 28.198.49 | Ø 130mm  | 12M  |

### RAZEDGE



For use on edge polishing machines, Razedge is made from resin diamond to give a superior shine while lasting 50% longer than the pads currently on the market. For use on Marble, Granite, Quartz & Sintered Materials.

"Great shine and lasts a long time"  
 "They leave a very straight edge and you can use them with or without oscillation"  
 "Excellent results"



| Stock No. | Diameter | Grit  |
|-----------|----------|-------|
| 28.41.21  | Ø 125mm  | 60G   |
| 28.41.22  | Ø 125mm  | 120G  |
| 28.41.23  | Ø 125mm  | 220G  |
| 28.41.24  | Ø 125mm  | 400G  |
| 28.41.25  | Ø 125mm  | 600G  |
| 28.41.26  | Ø 125mm  | 800G  |
| 28.41.27  | Ø 125mm  | 1200G |
| 28.41.31  | Ø 150mm  | 60G   |
| 28.41.32  | Ø 150mm  | 120G  |
| 28.41.33  | Ø 150mm  | 220G  |
| 28.41.34  | Ø 150mm  | 400G  |
| 28.41.35  | Ø 150mm  | 600G  |
| 28.41.36  | Ø 150mm  | 800G  |
| 28.41.37  | Ø 150mm  | 1200G |

### SUPER AGGRESSIVE PADS



These Super Aggressive polishing pads are great for removing mesh or pattern from the rear of Granite, Quartz and Sintered Materials. Made from resin diamond they boast speeds up to 50% quicker than the other pads on the market.  
 "The 30 grit took just 27seconds to take the print off a 300mm2 slab compared to 1 minute 30 seconds from another leading brand - amazing!"




| Stock No. | Diameter | Grit |
|-----------|----------|------|
| 28.41.40  | Ø 100mm  | 30G  |
| 28.41.41  | Ø 100mm  | 50G  |
| 28.41.42  | Ø 100mm  | 100G |
| 28.41.43  | Ø 100mm  | 200G |

### BEVEDGE45



Our Bevedge45 arris polishing heads polish to a supreme shine. The Bevedge45 have been designed for use on the Comandulli and Marmo Meccanica.



| Stock No. | Diameter | Grit  |
|-----------|----------|-------|
| 28.197.07 | Ø 125mm  | 800G  |
| 28.197.08 | Ø 125mm  | 1000G |



# HAND POLISHING

- / Duo Flex
- / S Flex
- / Trimax
- / Ceramico Pads
- / Stonegate Wet Polishing Pads
- / Ultimum Pads
- / 6 Step Wet
- / Omist White
- / Super Aggressive Pads
- / Electroface Sheets
- / Vacuum Brazed Drums


Every one of Stonegate's polishing products undergoes extensive research and testing before they are sold, so you can expect quality, lasting products delivering exceptional finishes at a price which is right for you and your business.

# HAND POLISHING

## DUO FLEX



A high-quality disc achieving an excellent finish when used either wet or dry. Longer life than ceramic discs when used at a recommended 4000 - 5000 RPM.




| Stock No. | Diameter | Grit  | Colour     |
|-----------|----------|-------|------------|
| 25.53.00  | ∅ 100mm  | 30G   | Blue       |
| 25.53.01  | ∅ 100mm  | 50G   | Brown      |
| 25.53.02  | ∅ 100mm  | 100G  | Red        |
| 25.53.03  | ∅ 100mm  | 200G  | Orange     |
| 25.53.04  | ∅ 100mm  | 400G  | Yellow     |
| 25.53.05  | ∅ 100mm  | 800G  | Green      |
| 25.53.06  | ∅ 100mm  | 1500G | Light Blue |
| 25.53.07  | ∅ 100mm  | 3000G | Purple     |
| 25.53.08  | ∅ 100mm  | Buff  | White      |

## S FLEX



Excellent polishing discs giving a good finish on granite but a fine all-rounder for other materials too. Highly recommended by our customers.



| Stock No. | Diameter | Grit  | Colour    |
|-----------|----------|-------|-----------|
| 26.41.00  | ∅ 100mm  | 30G   | Dark Blue |
| 26.41.01  | ∅ 100mm  | 50G   | Lime      |
| 26.41.02  | ∅ 100mm  | 100G  | Red       |
| 26.41.03  | ∅ 100mm  | 200G  | Yellow    |
| 26.41.04  | ∅ 100mm  | 400G  | Blue      |
| 26.41.05  | ∅ 100mm  | 800G  | Green     |
| 26.41.06  | ∅ 100mm  | 1500G | Orange    |
| 26.41.07  | ∅ 100mm  | 3000G | Pink      |
| 26.41.08  | ∅ 100mm  | Buff  | Black     |

## TRIMAX



Finally! A 3-step wet stone polishing pad that really works... The NEW AZTEC TRIMAX wet polishing pads for stone feature an innovative pattern for optimal water dispersal and dust removal as well as a very high diamond content for polishing performance. Exclusively available from Stonegate, these new and innovative polishing pads provide a truly flawless finish on both granite and quartz in only 3 steps. Choose the optional 'position 0' to aggressively remove saw marks to achieve the best finish possible with the 3-step system.



| Stock No. | Diameter | Position | Colour |
|-----------|----------|----------|--------|
| 26.41.30  | ∅ 100mm  | Pos. 0   | Green  |
| 26.41.31  | ∅ 100mm  | Pos. 1   | Red    |
| 26.41.32  | ∅ 100mm  | Pos. 2   | Blue   |
| 26.41.33  | ∅ 100mm  | Pos. 3   | Orange |

## CERAMICO PADS



The ultimate, premium dry polishing pad. Use at a slow RPM to allow greater flexibility. Our Ceramico pads feature a great concentration of diamond content in the ceramic bond, meaning a long life and achieving an exceptionally high-quality finish when used at a recommended 2500 RPM.




| Stock No. | Diameter | Position | Colour      |
|-----------|----------|----------|-------------|
| 25.122.01 | ∅ 100mm  | Pos. 1   | Light Green |
| 25.122.02 | ∅ 100mm  | Pos. 2   | Red         |
| 25.122.03 | ∅ 100mm  | Pos. 3   | Yellow      |
| 25.122.04 | ∅ 100mm  | Pos. 4   | Blue        |
| 25.122.05 | ∅ 100mm  | Pos. 5   | Dark Green  |
| 25.122.06 | ∅ 100mm  | Pos. 6   | Orange      |
| 25.122.07 | ∅ 100mm  | Pos. 7   | Grey        |
| 25.122.08 | ∅ 100mm  | Buff     | Black       |

## STONEGATE WET POLISHING PADS



Our Stonegate Wet Polishing Pads are excellent value polishing discs that give a good finish on granite but can also produce an excellent shine on other materials too.



| Stock No. | Diameter | Position | Colour      |
|-----------|----------|----------|-------------|
| 26.41.21  | ∅ 100mm  | Pos. 1   | Light Green |
| 26.41.22  | ∅ 100mm  | Pos. 2   | Red         |
| 26.41.23  | ∅ 100mm  | Pos. 3   | Yellow      |
| 26.41.24  | ∅ 100mm  | Pos. 4   | Blue        |
| 26.41.25  | ∅ 100mm  | Pos. 5   | Dark Green  |
| 26.41.26  | ∅ 100mm  | Pos. 6   | Orange      |
| 26.41.27  | ∅ 100mm  | Pos. 7   | Pink        |
| 26.41.28  | ∅ 100mm  | Buff     | Black       |

## ULTIMUM PADS



An ultra long life granite and engineered stone pad with an M14 fitting. Use for successful edge and face wet polishing. Gives an excellent flat finish.




| Stock No. | Diameter | Position |
|-----------|----------|----------|
| 26.55.11M | ∅ 100mm  | Pos. 1   |
| 26.55.12M | ∅ 100mm  | Pos. 2   |
| 26.55.13M | ∅ 100mm  | Pos. 3   |
| 26.55.14M | ∅ 100mm  | Pos. 4   |
| 26.55.15M | ∅ 100mm  | Pos. 5   |
| 26.55.16M | ∅ 100mm  | Pos. 6   |

## 6 STEP WET



Our 6 Step Wet Polishing Pads come highly recommended from our customers themselves. Designed specifically for engineered stone polishing these pads produce an excellent shine on quartz but also granite.



| Stock No. | Diameter | Position | Colour      |
|-----------|----------|----------|-------------|
| 26.41.11  | Ø 100mm  | Pos. 0   | Light Green |
| 26.41.12  | Ø 100mm  | Pos. 1   | Red         |
| 26.41.13  | Ø 100mm  | Pos. 2   | Yellow      |
| 26.41.14  | Ø 100mm  | Pos. 3   | Blue        |
| 26.41.15  | Ø 100mm  | Pos. 4   | Dark Green  |
| 26.41.16  | Ø 100mm  | Pos. 5   | Orange      |
| 26.41.17  | Ø 100mm  | Pos. 6   | Pink        |

## SUPER AGGRESSIVE PADS



These Super Aggressive polishing pads are great for removing mesh or pattern from the rear of Granite, Quartz and Sintered Materials. Made from resin diamond they boast speeds up to 50% quicker than the other pads on the market.

"The 30 grit took just 27seconds to take the print off a 300mm2 slab compared to 1 minute 30 seconds from another leading brand - amazing!"




| Stock No. | Diameter | Grit | Fitting |
|-----------|----------|------|---------|
| 26.41.40  | Ø 100mm  | 30G  | M14     |
| 26.41.41  | Ø 100mm  | 50G  | M14     |
| 26.41.42  | Ø 100mm  | 100G | M14     |
| 26.41.43  | Ø 100mm  | 200G | M14     |

## DEKTON WET DRY PADS



Extremely flexible and versatile polishing pads giving an excellent finish on Ultra Compact Surfaces and Porcelain. A great shine, easily achieved! Our new 100mm WET/DRY dektion pads are flexible for high radiuses, and run at a speed 50% faster than others on the market! Wow! Their spiral pattern gives an even distribution of water, which means no burning. You can also be sure there's no risk of colour migration with these multi-use pads.



| Stock No. | Diameter | Grit  | Colour |
|-----------|----------|-------|--------|
| 26.41.61  | Ø 100mm  | 50g   | Green  |
| 26.41.62  | Ø 100mm  | 100g  | Red    |
| 26.41.63  | Ø 100mm  | 200g  | Yellow |
| 26.41.64  | Ø 100mm  | 400g  | Blue   |
| 26.41.65  | Ø 100mm  | 800g  | Green  |
| 26.41.66  | Ø 100mm  | 1500g | Orange |
| 26.41.67  | Ø 100mm  | 3000g | Pink   |

## WOODEN BLOCKS

Electroface Sheet Wooden Block Flute Former.




| Stock No. | Length | Width | Grit | Colour |
|-----------|--------|-------|------|--------|
| 22.84.25  | 100mm  | 12mm  | N/A  | N/A    |



## ELECTROFACE SHEETS



Thin flexible diamond sheets for hand polishing edges getting into tight radius's and bending into flutes. Wrap around a moulded wooden block for best results in polishing lines out of flutes



| Stock No. | Length | Width | Grit  | Colour |
|-----------|--------|-------|-------|--------|
| 22.13.01  | 100mm  | 55mm  | 60G   | Green  |
| 22.13.02  | 100mm  | 55mm  | 100G  | Black  |
| 22.13.03  | 100mm  | 55mm  | 200G  | Red    |
| 22.13.04  | 100mm  | 55mm  | 400G  | Yellow |
| 22.13.05  | 100mm  | 55mm  | 800G  | White  |
| 22.13.06  | 100mm  | 55mm  | 1800G | Blue   |

## VACUUM BRAZED DRUMS



High quality Vacuum Brazed coated drums for grinding lines out and smoothing edges of Granite, Marble and Engineered Stone. M14 Fitting for use on grinders or semi Automatic bowl machines.



| Stock No. | Diameter | Length | Grit |
|-----------|----------|--------|------|
| 18.87.52  | Ø 50mm   | 50mm   | 40G  |
| 18.87.54  | Ø 50mm   | 50mm   | 100G |
| 18.87.55  | Ø 50mm   | 50mm   | 200G |
| 18.87.72  | Ø 75mm   | 50mm   | 40G  |
| 18.87.74  | Ø 75mm   | 50mm   | 100G |
| 18.87.75  | Ø 75mm   | 50mm   | 200G |



# BRUSHES

- / 100mm Diamond-Texturing Brushes
- / 125mm Diamond Texturing Brushes
- / 100mm Silicone Carbide Brushes
- / Felt Head
- / Felt Mop

Quality finishes are key in stone fabrication, which is why Stonegate's range of texturing brushes and felt mops are guaranteed to ensure a perfect finish.

## BRUSHES AND FELT

### 100MM M14 DIAMOND TEXTURING BRUSHES



These Brushes create a leather or textured finish on stone, granite & engineered stone. To be used wet at a recommended 1600 - 2500 RPM.



| Stock No.    | Grit             | Diameter |
|--------------|------------------|----------|
| 28.69.00B5CS | 20G              | Ø 100mm  |
| 28.69.01B5CS | 30G              | Ø 100mm  |
| 28.69.02B5CS | 60G              | Ø 100mm  |
| 28.69.03B5CS | 120G             | Ø 100mm  |
| 28.69.04B5CS | 220G             | Ø 100mm  |
| 28.69.05B5CS | 400G             | Ø 100mm  |
| 28.69.06B5CS | 600G             | Ø 100mm  |
| 28.69.10C    | 320G Ceramic Lux | Ø 100mm  |

### 125MM SNAIL LOCK DIAMOND TEXTURING BRUSHES



These brushes create a leathered or textured finish on stone, granite or engineered stone. A finish that makes a worthy alternative to a polished surface. To be used wet at a recom-mended 2000-4000 RPM. Snail lock for use on Edge Polishing Machines.



| Stock No.    | Grit         | Diameter |
|--------------|--------------|----------|
| 28.69.31B5CS | 30G          | Ø 125mm  |
| 28.69.33B5CS | 60G          | Ø 125mm  |
| 28.69.34B5CS | 120G         | Ø 125mm  |
| 28.69.35B5CS | 220G         | Ø 125mm  |
| 28.69.37B5CS | 400G         | Ø 125mm  |
| 28.69.38B5CS | 800G         | Ø 125mm  |
| 28.69.40C    | 320G Ceramic | Ø 125mm  |

### 100MM M14 SILICONE CARBIDE BRUSHES



These brushes create the colour when making a leather or textured finish on stone, granite & engineered stone. To be used wet at a recommended 1600 - 2500 RPM. A less aggressive brush for producing a matte leathered and suede effect engineered stone.



| Stock No.    | Grit | Diameter |
|--------------|------|----------|
| 28.69.82B5CS | 60G  | Ø 100mm  |
| 28.69.83B5CS | 80G  | Ø 100mm  |
| 28.69.84B5CS | 120G | Ø 100mm  |
| 28.69.85B5CS | 240G | Ø 100mm  |
| 28.69.86B5CS | 320G | Ø 100mm  |

### FELT MOP



The Felt Mop comes complete with a M14 fitting and is to be used in conjunction with soaps/polishes for the finishing of marble and stone products. Designed for durability to last longer while still giving that perfect polish.



| Stock No.  | Fitting | Diameter |
|------------|---------|----------|
| 30.169.12F | M14     | Ø 125mm  |

### FELT HEAD




The Felt head is to be used in conjunction with soaps/polishes for the finishing of marble and stone products. Designed for durability to last longer while still giving that perfect polish. Velcro backed fitting to fit standard velcro backing pads.





| Stock No. | Fitting        | Diameter |
|-----------|----------------|----------|
| 30.169.10 | Velcro Backing | Ø 100mm  |

### SUEDE BRUSHING KIT

The Ultimate tried and tested kit for texturing edges of suede Engineered Stone. Perfect for matching bowl cut outs and edges to the face of the material. Extremely easy to use on a Makita, Flex or Pneumatic M14 wet polisher machine and gives a really satisfying look that is high above a standard honed finish.



| Stock No.  | Product                                       | Grit |
|------------|---|------|
| 28.69.01B  | 100mm Suede Diamond Brush No Resin            | 30G  |
| 28.69.02B  | 100mm Suede Diamond Brush No Resin            | 60G  |
| 28.69.03B  | 100mm Suede Silicone Carbide Brush No Resin   | 60G  |
| 28.69.04B  | 100mm Suede Silicone Carbide Brush No Resin   | 120G |
| 28.69.05B  | 100mm Suede Silicone Carbide Brush With Resin | 320G |
| 28.69.06B  | 100mm Suede Silicone Carbide Brush With Resin | 500G |
| 32.38.03   | Pink Alox Stick                               | N/A  |
| 30.169.12F | 125mm Felt Mop - M14                          | N/A  |



# BACKING PADS

- / M14 Backing Pads
- / Snail Lock Backing pads



We have a variety of long lasting, quality backing pads available to convert polishing pads and discs to snail lock and M14 fittings available in a variety of different diameters and rigidities.

# BACKING PADS

## SEMI FLEX EXTRA GRIP T-HOOK B/PAD



| Stock No. | Description                        | Diameter |
|-----------|------------------------------------|----------|
| 20.169.02 | Semi Flex Extra Grip T- Hook B/Pad | ∅ 100mm  |

## ALUMINIUM VELCRO BACKING PAD



| Stock No. | Description                  | Diameter |
|-----------|------------------------------|----------|
| 20.55.10A | Aluminium Velcro Backing Pad | ∅ 100mm  |

## VERY FLEXIBLE BACKING PAD



| Stock No. | Description               | Diameter |
|-----------|---------------------------|----------|
| 20.84.10F | Very Flexible Backing Pad | ∅ 100mm  |

## SPONGE BACKING PAD



| Stock No.  | Description        | Diameter |
|------------|--------------------|----------|
| 20.85.10SP | Sponge Backing Pad | ∅ 100mm  |

## M14 TO SNAIL BACKING HOLDER



| Stock No. | Description                 | Diameter |
|-----------|-----------------------------|----------|
| 20.56.10M | M14 To Snail Backing Holder | ∅ 100mm  |

## PLAIN MOSS BACKING PAD



Sponge-filled backing pads to be used with our Silicone Carbide Paper Discs - available with either a plain back for spray gluing discs onto the face or Velcro, which are compatible with our Velcro Silicone Carbide Discs. Choose from either high or lower quality Moss Backing Pads to suit your needs.



| Stock No. | Description            | Diameter |
|-----------|------------------------|----------|
| 20.169.00 | Plain Moss Backing Pad | ∅ 125mm  |

## VELCRO MOSS BACKING PAD



Sponge-filled backing pads to be used with our Silicone Carbide Paper Discs - available with either a plain back for spray gluing discs onto the face or Velcro, which are compatible with our Velcro Silicone Carbide Discs. Choose from either high or lower quality Moss Backing Pads to suit your needs.



| Stock No. | Description             | Diameter |
|-----------|-------------------------|----------|
| 20.169.01 | Velcro Moss Backing Pad | ∅ 125mm  |

## 100MM RIGID BACKING PAD



| Stock No. | Description             | Diameter |
|-----------|-------------------------|----------|
| 20.15.10  | 100mm Rigid Backing Pad | ∅ 100mm  |

## SNAIL LOCK BACKING PADS




A selection of our snail lock backing pads for all number of polishing applications.

### Features


- ◆ Snail lock backing pad adapter for 100mm, 125mm and 150mm diamond polishing pads
- ◆ Converts Velcro backed pads for use in a Snail Lock backing pad
- ◆ Long lasting



| Stock No. | Description        | Diameter |
|-----------|--------------------|----------|
| 20.53.10S | Velcro Backing Pad | ∅ 100mm  |



| Stock No. | Description        | Diameter |
|-----------|--------------------|----------|
| 20.53.12S | Velcro Backing Pad | ∅ 125mm  |
| 20.53.15S | Velcro Backing Pad | ∅ 150mm  |



- / Dragonskin Silicone Carbide Discs
- / Plain Backed
- / Velcro
- / Dragonskin Fibre Discs

# SILICONE CARBIDE DISCS



Our Dragonskin range of silicone carbide disks, come plain backed and polish marble, granite & quartz to an incredible shine. Not only that but they have been proven to last 30% longer than other brands on the market.

REVIEWS FROM THE WORKSHOP

"More aggressive lower grits which provide a flatter finish quicker."  
 "The papers last longer than other market-leading brands, especially the 60 grit."  
 "No burning from the higher grits."

# DRAGONSKIN SILICONE CARBIDE DISCS



PLAIN BACKED



| Stock No.  | Diameter | Grit  | Pack Quantity |
|------------|----------|-------|---------------|
| 21.201.52P | Ø 125mm  | 36G   | 50            |
| 21.201.55P | Ø 125mm  | 60G   | 50            |
| 21.201.56P | Ø 125mm  | 80G   | 50            |
| 21.201.57P | Ø 125mm  | 120G  | 100           |
| 21.201.59P | Ø 125mm  | 220G  | 100           |
| 21.201.60P | Ø 125mm  | 320G  | 100           |
| 21.201.61P | Ø 125mm  | 400G  | 100           |
| 21.201.62P | Ø 125mm  | 500G  | 100           |
| 21.201.63P | Ø 125mm  | 600G  | 200           |
| 21.201.64P | Ø 125mm  | 800G  | 200           |
| 21.201.65P | Ø 125mm  | 1000G | 200           |
| 21.201.66P | Ø 125mm  | 1200G | 200           |

VELCRO



| Stock No.  | Diameter | Grit  | Pack Quantity |
|------------|----------|-------|---------------|
| 21.201.53V | Ø 125mm  | 36G   | 50            |
| 21.201.55V | Ø 125mm  | 60G   | 50            |
| 21.201.56V | Ø 125mm  | 80G   | 50            |
| 21.201.57V | Ø 125mm  | 120G  | 100           |
| 21.201.59V | Ø 125mm  | 220G  | 100           |
| 21.201.60V | Ø 125mm  | 320G  | 100           |
| 21.201.61V | Ø 125mm  | 400G  | 100           |
| 21.201.62V | Ø 125mm  | 500G  | 100           |
| 21.201.63V | Ø 125mm  | 600G  | 100           |
| 21.201.64V | Ø 125mm  | 800G  | 100           |
| 21.201.66V | Ø 125mm  | 1200G | 100           |



DRAGONSKIN FIBRE DISCS



| Stock No.  | Diameter | Thickness | Grit | Pack Quantity |
|------------|----------|-----------|------|---------------|
| 21.201.25F | Ø 115mm  | 4 1/2"    | 60G  | 50            |
| 21.201.55F | Ø 125mm  | 5"        | 60G  | 50            |
| 21.201.57F | Ø 125mm  | 5"        | 120G | 50            |
| 21.201.71F | Ø 180mm  | 7"        | 24G  | 50            |
| 21.201.72F | Ø 180mm  | 7"        | 36G  | 50            |
| 21.201.74F | Ø 180mm  | 7"        | 50G  | 50            |
| 21.201.76F | Ø 180mm  | 7"        | 80G  | 50            |
| 21.201.77F | Ø 180mm  | 7"        | 120G | 50            |
| 21.201.79F | Ø 180mm  | 7"        | 220G | 50            |
| 21.201.91F | Ø 230mm  | 9"        | 24G  | 50            |
| 21.201.92F | Ø 230mm  | 9"        | 36G  | 50            |
| 21.201.94F | Ø 230mm  | 9"        | 50G  | 50            |
| 21.201.95F | Ø 230mm  | 9"        | 60G  | 50            |
| 21.201.96F | Ø 230mm  | 9"        | 80G  | 50            |
| 21.201.97F | Ø 230mm  | 9"        | 120G | 50            |

SEMI FLEXIBLE DISCS



| Stock No.  | Product |     | Quantity |
|------------|---------|-----|----------|
| 21.201.55T | Ø 125mm | 60G | 5        |

CARB CONES




| Stock No. | Product                               | Grit |
|-----------|---------------------------------------|------|
| 23.63.01  | M14 Cone Shaped Carborundum Cup Wheel | 25G  |
| 23.63.02  | M14 Cone Shaped Carborundum Cup Wheel | 36G  |
| 23.63.03  | M14 Cone Shaped Carborundum Cup Wheel | 60G  |
| 23.63.04  | M14 Cone Shaped Carborundum Cup Wheel | 80G  |
| 23.63.05  | M14 Cone Shaped Carborundum Cup Wheel | 120G |
| 23.63.06  | M14 Cone Shaped Carborundum Cup Wheel | 220G |

| Stock No. | Product                                  | Grit |
|-----------|--|------|
| 23.63.11  | M14 Straight Sided Carborundum Cup Wheel | 24G  |
| 23.63.12  | M14 Straight Sided Carborundum Cup Wheel | 36G  |
| 23.63.13  | M14 Straight Sided Carborundum Cup Wheel | 60G  |
| 23.63.15  | M14 Straight Sided Carborundum Cup Wheel | 120G |
| 23.63.16  | M14 Straight Sided Carborundum Cup Wheel | 220G |



- / Clamps
- / Seam Setters
- / A-Frames
- / Carts and Dollys
- / Fork Lift Boom
- / Workshop Tables
- / Handheld suction cup
- / Slab Racks
- / Vacuum Lifters
- / Sink Bar
- / Spreader Beams

# LIFTING & HANDLING EQUIPMENT



The health and safety of our customers is very important to us, so our range of lifting & handling products are tried and tested, not only by the manufacturers, but also through independent testing to ensure quality is unquestioned.

## LIFTING EQUIPMENT

### STONEGATE SCISSOR CARRY CLAMPS

Featuring a set of two carry clamps, the Stonegate Scissor Clamps are constructed using only the highest quality materials, including vulcanized rubber pads for added grip and to protect the slabs. These lifting clamps make transporting heavy stone a safer, easier task. The weight of the slab exerts a sufficient clamping force to keep the slab secure when being lifted. Rated to Lift 200KG per pair.



| Stock No. | Description                           |
|-----------|---------------------------------------|
| 48.136.10 | Stonegate Scissor Carry Clamps (Pair) |

### EXTRA HANDLE FOR DOUBLE HANDED CARRY CLAMP

Featuring a set of two carry clamps, the Stonegate Heavy Duty Scissor Clamps are constructed using only the highest quality materials, including vulcanized rubber pads for added grip and to protect the slabs. These lifting clamps make transporting heavy stone a safer, easier task. The weight of the slab exerts a sufficient clamping force to keep the slab secure when being lifted. Rated to Lift 400KG Per Pair.



| Stock No.   | Description                                |
|-------------|--|
| 48.174.40/1 | Extra Handle for Double Handed Carry Clamp |

### STONEGATE DOUBLE HANDED CARRY CLAMPS

These super heavy duty clamps are designed to lift large stone slabs by hand with ease. Great for handling stone worktops. Rubber pads to protect the stone, simply place the clamp on the stone and tighten up the rods. Wide jaws makes them also ideal for double profiled edge worktops where the profile steps back a long way. These clamps will not slip even with wet or icy slabs. Extra handles are available so they can be used by 4 persons when paired up. Rated to lift 400KG per pair.



| Stock No. | Description                                 |
|-----------|---|
| 48.154.71 | Stonegate Double-Handed Carry Clamps (pair) |

### STONEGATE HEAVY DUTY SCISSOR CARRY CLAMPS

Featuring a set of two carry clamps, the Stonegate Heavy Duty Scissor Clamps are constructed using only the highest quality materials, including vulcanized rubber pads for added grip and to protect the slabs. These lifting clamps make transporting heavy stone a safer, easier task. The weight of the slab exerts a sufficient clamping force to keep the slab secure when being lifted. Rated to Lift 400KG Per Pair.



| Stock No. | Description                              |
|-----------|--|
| 48.154.72 | Stonegate Heavy-Duty Carry Clamps (pair) |

### LIFTING CLAMPS

This powerful lifter is ideally suited for the vertical lifting of heavy stone slabs, complete with a swivel shackle allowing access into tight areas. Constructed of sturdy, high-quality materials but weighing a mere 15.5Kg there is an integrated spring-loaded latch that automatically releases once the slab is fully lowered to the ground. Available in either black or white rubber depending on the colour of the slab you're lifting.



| Stock No.  | Description                                 |
|------------|---|
| 48.136.50  | Slab Lifting Clamp 15-50mm                  |
| 48.136.50W | Slab Lifting Clamp 15-50mm c/w White Rubber |
| 48.136.60W | Slab Lifting Clamp 20-60mm                  |
| 48.136.65  | Slab Lifting Clamp 30-75mm                  |

### 90 DEGREE CLAMP

Clamp for holding down stands when gluing. Designed with the fabricator in mind, these clamps are easy to use while remaining durable.



| Stock No. | Description  |
|-----------|--|
| 48.136.25 | 90 Degree Clamp - M5 - White Rubber Suction Pad (Pair) |

### MITRE STONE CLAMP - 120MM

Clamp for holding down stands when gluing. Designed with the fabricator in mind, these clamps are easy to use while remaining durable.



| Stock No. | Description                                     |
|-----------|---|
| 50.151.01 | Mitre Stone Clamp (Single) Clamping Range 120mm |

### MITRE STONE CLAMP - 320MM

Clamp for holding down stands when gluing. Designed with the fabricator in mind, these clamps are easy to use while remaining durable.



| Stock No. | Description                                     |
|-----------|---|
| 50.151.02 | Mitre Stone Clamp (Single) Clamping Range 320mm |

### FALCON LIFTER

This powerful Falcon lifter is ideally suited for the vertical lifting of heavy stone slabs, complete with a swivel shackle allowing access into tight areas. Constructed of sturdy, high-quality materials and integrated automatic latch that automatically releases once the slab is fully lowered to the ground and also automatically clamps the slab when lifted again.


This removes the need to for two persons with loading or unloading slabs. Opening is 15mm-75mm offering a wide range of grip options on slab thicknesses. Available in either black or white rubber.



| Stock No. | Description                                      |
|-----------|--|
| 48.154.65 | Falcon Lifter (15-75mm) Automatic - Black Rubber |

## STONEGATE EASY WORK AUTOMATIC SEAM SETTER (DUAL SEAMERS)

Premium Dual Seam Setters. Can be used manually, with battery power or 240 Volt Power



| Stock No. | Description  |
|-----------|--|
| 48.154.55 | Stonegate Easy Work Automatic Seam Setter (Dual Seamers) |

## RATCHET SEAM SETTER

With these tools, your worktops will be perfectly joined and level. The Ratchet seam setter features a large footprint and 203mm suction cups and two levelling points, making slippage issues a thing of the past.



| Stock No. | Description         |
|-----------|---------------------|
| 48.136.22 | Ratchet Seam Setter |

# A-FRAMES

## THE STONEGATE ULTIMATE A-FRAME

The Stonegate Ultimate A-Frame is designed for transporting material and storing it in the shop or at the job site. Your slabs are placed on special rubber profiles and secured with four ratchets secured with four ratchet securing bars. The centre section can be used to store tools and small backslashes. The frame features two eyelets that can be used to lift the frame with an overhead crane. Space is provided on all sides for forklift transport. Quick release mounting pins change the unit from a mobile to a stationary one with the removal of the four casters provided.



| Stock No.  | Description  |
|------------|--|
| 48.136.75  | Stonegate Ultimate A-Frame 1810x1100x1585mm With Wheels          |
| 48.136.751 | Stonegate Ultimate A-Frame 1810x1100x1585mm Without Wheels       |
| 48.136.76  | Stonegate Ultimate A-Frame With Dead man Handle 2400x1100x1470mm |
| 48.136.77  | Stonegate Ultimate A-Frame With Dead man Handle 2400x1451x1130mm |
| 48.136.78  | Stonegate Ultimate A-Frame With Dead man Handle 2400x1100x1840mm |

## STONEGATE DEMOUNTABLE A-FRAME - SOLID TYRES

The Stonegate Demountable A-Frame is the obvious choice for those wanting a sturdy, safe and easy-to-use material handling solution. The solid frame, large solid wheels and user-friendly design ensures everyone can feel comfortable using it. The frame can be taken off its chassis for use on vehicles. The stone sits 690mm off the ground when on the chassis relieving operators of bending to lift stone. The solid rubber tyres make punctures impossible. Rated to carry 1000Kg when on its Wheels Rated to carry 2000Kg when off the chassis.




| Stock No. | Description   |
|-----------|---|
| 48.154.05 | A-Frame 4932 c/w 400mm Solid Tyres & Handle 1405x995x1507mm |

## STONEGATE EASY A-FRAME

The Stonegate Easy A Frame has evolved from customer feed-back. This simple basic frame is light weight has swivel wheels and extendable handle, so even when stone overhangs the frame it can be wheeled around corners. A-frame can be lifted off the wheels for flatbed van loading Comes with simple straps for securing slabs to frame. Rated to carry 1000Kg when on its wheels. Rated to carry 2000Kg when off the chassis.




| Stock No. | Description  |
|-----------|--|
| 48.154.74 | The Stonegate Easy A-frame                                   |
| 48.154.15 | A-Frame 4932 c/w 400mm Pneumatic Tyre & Handle 1405x995x1507 |



# CARTS AND DOLLYS

## THE STONEGATE MINI DOLLY

The Stonegate Mini Dolly is a great bit of kit to help fabricators move stone slabs around the workshop and into houses safely. With a grip range of 0-130mm and a workload limit of 450kg, the Stonegate Mini Dolly is mini but mighty!



| Stock No. | Description          |
|-----------|----------------------|
| 48.154.43 | Stonegate Mini Dolly |

## THE STONEGATE STONECART PRO

The Stonegate StoneCart Pro is a great bit of kit to help fabricators move stone slabs around the workshop and into houses safely. With a grip range of 0-30mm and a workload limit of 450kg, the Stonegate StoneCart Pro is a pro as moving stone around your workshop. Featuring Flat Free Tyres, multi-directional wheels and brakes. If you are looking for a more compact system with a bigger grip range check out the Stonegate Mini Dolly.



| Stock No. | Description             |
|-----------|-------------------------|
| 48.154.45 | Stonegate StoneCart Pro |

## THE STONEGATE WORKSHOP BUDDY

The Stonegate Workshop Buddy is a cost effective simple solution for moving stone around the workshop with ease.



| Stock No. | Description              |
|-----------|--------------------------|
| 48.154.60 | Stonegate Workshop Buddy |

## THE STONEGATE TRI-TROLLEY

The Stonegate Tri-Trolley is a versatile, heavy-duty trolley with pneumatic tires and a rear guide wheel allowing easy movement and use over rough ground.



| Stock No. | Description           |
|-----------|-----------------------|
| 48.136.30 | Stonegate Tri-Trolley |

## THE STONEGATE KICK TROLLEY

The Stonegate Kick-Trolley is a versatile, heavy-duty trolley with pneumatic tires and a rear kick stand allowing easy movement and use over rough ground.



## EZ-PRO WINCH CART



The EZ Pro Winch Cart is designed for raising, loading, and unloading finished slabs safely with minimal labour. The vertical steel structure can make possible to raise and lower those finished pieces by the use of the installed electric winch. Four solid rubber tyres makes a very sturdy frame and has the ability to elevate pieces from 300mm up to 900mm where they can be easily loaded onto a truck bed or on/out of a van to transport to and from the job sites. Remote control helps also with versatility.

| Stock No. | Description       |
|-----------|-------------------|
| 48.154.52 | EZ-Pro Winch Cart |

# LIFTING EQUIPMENT

## FORK LIFT BOOM

Designed for use on up to 4-ton forklift trucks, the Forklift Boom offers versatility with maximum visibility for the driver. Fully extended it reaches up to 2400mm, slots for the forks measure 165mm x 63mm, weights 102Kg



| Stock No. | Description   |
|-----------|---------------|
| 48.136.70 | Forklift Boom |

## HANDHELD SUCTION CUP

Ideal for carrying marble or granite tops and tiles. Includes a protective carry case and protecting cover, vacuum leakage indicator with suction quick release button. 50KG load capacity



| Stock No. | Description                                 |
|-----------|---|
| 48.154.03 | 8" Hand Held Suction Cup 50kg Load Capacity |

## WORKSHOP TABLES

Designed to make you work more efficiently, the table top tilts from being flat to various degrees for you to work more comfortably. It can handle slabs of thicknesses up to 40mm easily and weighs 97Kg. Height adjustable from 740mm to 1,014mm. Table tilts from flat to 45° and 75°



| Stock No. | Description                                   |
|-----------|---|
| 48.136.85 | Working Table with Casters<br>1935x615x1010mm |



| Stock No. | Description                                 |
|-----------|---|
| 48.136.80 | Kitchen Processing Table<br>2000x600x1000mm |

## STONEGATE REMNANT SLAB RACK

Our remnant slab racks are a 3 metre storage system made from powder coated steel and complete with 20no. 700mm height x 27mm diameter poles. Ideal for storing multiple remnant offcut slabs of different sizes helping to keep them visible and saleable Rated Weight Capacity 1000Kg.



| Stock No. | Description   |
|-----------|---|
| 48.154.10 | Stonegate Remnant Slab Rack 3000mm<br>(Round Poles 27x3x700mm High) |

## STONEGATE ULTIMATE SLAB RACK

Our slab racks are a high-quality and durable stone storage system made from galvanized steel and complete with 18 poles and caps. Ideal for storing multiple heavy slabs of different sizes with peace of mind that slabs and safely contained to protect both workers and the slabs themselves.



| Stock No. | Description  |
|-----------|--|
| 48.154.25 | Stonegate Ultimate Slab Rack 3000mm<br>(Poles 50x50x3x1500mm High) |

# LIFTING EQUIPMENT

## HERCULES VACUUM LIFTER

3 Pad Vacuum Lifters with Pneumatic tilt for Horizontal and Vertical Lifting of slabs. Comes with a wheeled trolley for storage



| Stock No. | Description         |
|-----------|---------------------|
| 48.154.82 | Hercules Vac lifter |

## SPREADER BEAMS

Stone Spreader Bar, capable of lifting up to 8 ton when used with the high-quality, Hercules forklift boom. Essential stone workshop lifting and handling equipment.



| Stock No. | Description                   |
|-----------|-------------------------------|
| 48.154.06 | Spreader Bar - 8 Ton, 2200 mm |

## GRABO VACUUM LIFTER

Portable electric vacuum suction lifter - strong, secure & cordless. Grabs almost any surface to move heavy materials safely with minimal risk. Designed to lift up to 375lbs with ease.



| Stock No. | Description |
|-----------|-------------|
| 28.210.01 | Grabo       |

## SINK BAR

Discover the edge-attached SinkBar to protect fragile stone-work. The NEW SinkBar is the perfect solution for protecting fragile natural and engineered stonework during fabrication, transportation and installation. The clamps hold the edges of the material. Easy to use clamps make it easier than ever to tighten and loosen the clamps, even when wearing gloves. \*\* Sold individually with clamps\*\*.



| Stock No. | Description   |
|-----------|---|
| 48.174.12 | The Stonegate Sink Bar 4'/1200mm c/w<br>3 Clamps (Each) |
| 48.174.18 | The Stonegate Sink Bar 6'/1800mm c/w<br>4 Clamps (Each) |
| 48.174.24 | The Stonegate Sink Bar 8'/2440mm c/w<br>5 Clamps (Each) |



# CHEMICALS & ADHESIVES

- / Silicones
- / Adhesives
- / Base Colours
- / Alox
- / Polishing Wax

Stonegate is the UK's supplier of choice for a wide range of high quality chemicals and adhesives for all types of stone. Our products can help you treat, protect & restore, enhance and of course clean all kinds of natural and engineered stone, both in the workshop and at home.

Products marked with an asterisk (\*) are available in Europe, but subject to shipping restrictions and additional delivery costs - please contact our sales team for further information if enquiring from outside of the UK

# CHEMICALS & ADHESIVES

## STONEGATE LMN SILICONE



Stonegate LMN Silicone is a high quality neutral, elastical one competence joint sealant. Based on silicones - very easy to apply, this low modulus sealant is available in a wide range of colours which keep their permanency and are UV resistant. Stonegate LMN Silicone is Not suitable for use on Marble and doing so is solely customer responsibility.



| Stock No. | Colour |
|-----------|--------|
| 36.208.00 | Clear  |
| 36.208.02 | White  |
| 36.208.03 | Black  |

## COLOURED SILICONE



Stonegate's new premium natural stone silicone will not cause any migratory staining on natural stone and has an excellent ageing resistance. Stonegates Neutral Silicone comes in a range of colours, designed to match most choices of stone. Our silicone is UV resistant, neutral and will not bleed into marble granite and quartz.



| Stock No.  | Colour      |
|------------|-------------|
| 36.187.900 | Transparent |
| 36.187.901 | White       |
| 36.187.903 | Black       |
| 36.187.905 | Brown       |
| 36.187.06  | Grey        |
| 36.187.307 | Dark Brown  |
| 36.187.308 | Silver      |
| 36.187.909 | Light Grey  |

## BONDEX STONE ADHESIVE

A reliable, quality and strong Polyester adhesive for filling and bonding natural stone to natural stone. Strong and easy to use with reliable consistency and supplied with the necessary hardener. Available from stock in many many popular colours to match all colours of granite and engineered stone.

- ◆ Polyester Adhesive
- ◆ 1 Litre with Hardener 3% dosage
- ◆ 3Mpa Strength
- ◆ Interior use only
- ◆ Heat Resistance 110Degrees
- ◆ 5mins Gel Time 20mins hardening 30mins to sand & Polish
- ◆ Area of use Stone Worktop Joints

## BONDEX QUARTZ COLOUR MATCH

| SKU       | BONDEX COLOUR MATCH | SWATCH |
|-----------|---------------------|--------|
| 36.187.03 | Black               |        |
| 36.187.30 | Chalk White         |        |
| 36.187.31 | Powder White        |        |
| 36.187.32 | Storm Cloud         |        |
| 36.187.33 | Grey Wolf           |        |
| 36.187.34 | Shadow              |        |
| 36.187.35 | Iron Ore            |        |
| 36.187.36 | Eggshell            |        |
| 36.187.37 | Midnight            |        |
| 36.187.38 | Pigeon Grey         |        |
| 36.187.39 | Marshmellow         |        |
| 36.187.40 | Smokey Grey         |        |
| 36.187.41 | Blue Denim          |        |
| 36.187.42 | Harbour Grey        |        |
| 36.187.43 | Mushroom            |        |
| 36.187.44 | Shark fin           |        |
| 36.187.45 | Hickory             |        |
| 36.187.46 | Alpaca              |        |
| 36.187.47 | Space               |        |
| 36.187.48 | Ash                 |        |
| 36.187.49 | Battleship          |        |
| 36.187.50 | Olive Grey          |        |
| 36.187.51 | Rhino               |        |
| 36.187.52 | Taupe               |        |
| 36.187.53 | Raven               |        |
| 36.187.54 | Harbour Haze        |        |



| Stock No. | Colour   |
|-----------|--|
| 36.187.00 | 1 Litre BonDEX Stone Adhesive Vertical - Solid Transparent |
| 36.187.01 | 1 Litre BonDEX Stone Adhesive Vertical - Solid Straw       |
| 36.187.02 | 1 Litre BonDEX Stone Adhesive Vertical - White (New)       |
| 36.187.03 | 1 Litre BonDEX Stone Adhesive Vertical - Black             |
| 36.187.30 | 1 Litre BonDEX Stone Adhesive Vertical - Chalk White       |
| 36.187.31 | 1 Litre BonDEX Stone Adhesive Vertical - Powder White      |
| 36.187.32 | 1 Litre BonDEX Stone Adhesive Vertical - Storm Cloud       |
| 36.187.33 | 1 Litre BonDEX Stone Adhesive Vertical - Grey Wolf         |
| 36.187.34 | 1 Litre BonDEX Stone Adhesive Vertical - Shadow            |
| 36.187.35 | 1 Litre BonDEX Stone Adhesive Vertical - Iron Ore          |
| 36.187.36 | 1 Litre BonDEX Stone Adhesive Vertical - Eggshell          |
| 36.187.37 | 1 Litre BonDEX Stone Adhesive Vertical - Midnight          |
| 36.187.38 | 1 Litre BonDEX Stone Adhesive Vertical - Pigeon Grey       |
| 36.187.39 | 1 Litre BonDEX Stone Adhesive Vertical - Marshmellow       |
| 36.187.40 | 1 Litre BonDEX Stone Adhesive Vertical - Smokey Grey       |
| 36.187.41 | 1 Litre BonDEX Stone Adhesive Vertical - Blue Denim        |
| 36.187.42 | 1 Litre BonDEX Stone Adhesive Vertical - Harbour Grey      |
| 36.187.43 | 1 Litre BonDEX Stone Adhesive Vertical - Mushroom          |
| 36.187.44 | 1 Litre BonDEX Stone Adhesive Vertical - Shark Fin         |
| 36.187.45 | 1 Litre BonDEX Stone Adhesive Vertical - Hickory           |
| 36.187.46 | 1 Litre BonDEX Stone Adhesive Vertical - Alpaca            |
| 36.187.47 | 1 Litre BonDEX Stone Adhesive Vertical - Space             |
| 36.187.48 | 1 Litre BonDEX Stone Adhesive Vertical - Ash               |
| 36.187.49 | 1 Litre BonDEX Stone Adhesive Vertical - Battleship        |
| 36.187.50 | 1 Litre BonDEX Stone Adhesive Vertical - Olive Grey        |
| 36.187.51 | 1 Litre BonDEX Stone Adhesive Vertical - Rhino             |
| 36.187.52 | 1 Litre BonDEX Stone Adhesive Vertical - Taupe             |
| 36.187.53 | 1 Litre BonDEX Stone Adhesive Vertical - Raven             |
| 36.187.54 | 1 Litre BonDEX Stone Adhesive Vertical - Harbour Haze      |

## STYREX

Knife grade vinyl ester adhesive A hybrid between polyester & vinyl glues which shares the benefits of both. Recommended for seaming, laminations, mitre cuts and chip repairs. Especially suited for bonding ultra-compact and porcelain.

- ◆ Vinyl ester Adhesive
- ◆ 1 Litre with Hardener 1% dosage
- ◆ 8Mpa Strength
- ◆ Interior & Exterior use
- ◆ Heat Resistance 130Degrees
- ◆ 5mins Gel Time 20mins hardening 30mins to sand & polish.
- ◆ Bonding Mitres/Seams in Stone, Ceramic & Ultra compact surfaces. Colour Pastes can be used.



| Stock No. | Colour                  |
|-----------|-------------------------|
| 36.187.28 | 1 Litre Styrex Adhesive |

## RESILIE X

Knife grade extra clear epoxy adhesive. Bi-component glue in paste approved for food contact. Suitable to fill, glue, laminate and bond marble, stone, granite, engineered stone, porcelain and ultra-compact surfaces. Resilix is extra clear, soft and light, easy to spread and with high gloss and brightness. Very low yellowing, 3 x stronger than polyester, very easy dosing, food safe.

- ◆ Epoxy Adhesive
- ◆ 1.5 Litre part A & 750ml part B
- ◆ 15Mpa Strength
- ◆ Interior & Exterior use
- ◆ Heat Resistance 70Degrees
- ◆ 50mins gel time, 3hrs hardening time and 24hrs to sand and polish
- ◆ Area of use bonding stone to wood or metal- can be used in wet conditions Does not yellow
- ◆ For Mitring Grouting & Bonding
- ◆ Colour Pastes can be used



| Stock No. | Colour  |
|-----------|---|
| 36.187.23 | 1.5 Litre Resilix Adhesive Transparent A        |
| 36.187.24 | 0.75 Litre Resilix Epoxy Adhesive Transparent B |

## DOMINEX

Extremely strong knife grade black or white epoxy adhesive Suitable to fill, glue, laminate and bond marble, stone, granite, engineered stone, porcelain and ultra-compact surfaces. Usually used in areas not seen for bonding or strengthening Does yellow over time, 3 x stronger than polyester.

- ◆ Epoxy Adhesive
- ◆ 1 Litre Part A & 1 Litre Part B
- ◆ 17Mpa Strength
- ◆ Interior & Exterior use
- ◆ Heat Resistance 90Degrees
- ◆ 2.5hrs Gel Time 4 Hours hardening 8 hours to sand and polish
- ◆ Bonding stone to stone or wood, metal & PVC - can be used in wet conditions but does yellow.
- ◆ Colour pastes can be used.



| Stock No. | Colour                            |
|-----------|-----------------------------------|
| 36.187.22 | 1 Litre Dominex Epoxy White A + B |

## ABELION

Abelion epoxy system (resin + hardener) for the best purity and transparency.

- ◆ Extra clear
- ◆ Solvent free
- ◆ Very high adhesion
- ◆ Thermal shock resistance Temperature range <0 degrees Celcius
- ◆ Long lasting resistance
- ◆ Very low yellowing



| Stock No.  | Colour   |
|------------|--|
| 36.187.25A | Abelion Liquid Resin Part A Transparent 1Kg    |
| 36.187.25B | Abelion Hardener for Liquid Resin Part B 0.9Kg |

## BASE COLOURS

A cheaper alternative to the Akemi Base Colours. Our Stonegate base colours come with a dropper top; meaning no mess, and the ability to get the perfect amount of desired colour every time. Properly matched colour to give you a seamless joint effect. Premium, potent colour that can be mixed with ANY of our polyester adhesives. Depth of colour is now easily achieved - you don't need much to get the desired colour. A cost effective alternative - you won't need to use a full tin of adhesive to do the same job!



| Stock No. | Colour |
|-----------|--------|
| 32.187.82 | Black  |
| 32.187.83 | Black  |
| 32.187.89 | Grey   |
| 32.187.88 | Yellow |
| 32.187.87 | Green  |
| 32.187.86 | Red    |
| 32.187.84 | Blue   |
| 32.187.83 | Brown  |

## SWIPEX WIPES



Soudal SwipeX Heavy Duty Wipes for quick and effective removal of adhesive, dirt, oil, grease and sealant from skin, hands, tools and non-porous surfaces. Kind to skin and with a natural citrus extract. 100 wipes per tub.



| Stock No. | Description        |
|-----------|--------------------|
| 36.175.09 | Swipex Wipes (100) |

## STONECHEM SAFEGUARD

StoneCHEM Safeguard is a solvent-based oil and water repellent for all types of granite, marble, natural stone and conglomerates. Safeguard has been specifically formulated using halogenated polyfluoride resins with a high chemical inertia mixed with organic solvents - this offers the very best protection for medium and high absorbency materials. Safeguard ensures a high degree of protection, is mark proof and prevents general oil and dirt from both sticking to and penetrating the stone surface. It protects surfaces against smearing and graffiti by blocking the penetration of paints, making cleaning off very easy.



| Stock No. | Size |
|-----------|------|
| 34.65.74  | 1ltr |
| 34.65.75  | 5ltr |

## PINK ALOX



Your Ideal polishing compound. Use with a felt mop to leave stone with a superior shine. 1.5Kg.



| Stock Number | Description     |
|--------------|-----------------|
| 32.38.03     | Pink Alox Stick |

## WHITE HYFIN BAR POLISHING WAX



A quality finishing compound with a fine grade of abrasive, and excellent composition for the final polishing of granite. Commonly used with Felt and Stitched Mops this compound helps give that long-lasting hi-gloss polish.



| Stock Number | Description                   |
|--------------|-------------------------------|
| 32.146.02    | White Hyfin Bar Polishing wax |

## STONECHEM SAFEGUARDPRO

SafeguardPRO is a specially formulated, solvent-based primer and protector for natural and manmade stone surfaces. As a water and oil repellent, it protects materials from staining by external agents whilst still allowing the stone to transpire aqueous vapour. SafeguardPRO has an exceptional impregnating effect and creates an impermeable surface to oil, grease, coffee, drinks, inks and foods. SafeguardPRO is a stone sealer that penetrates deeply into the stone's micro-cracks forming a compact structure that prevents dirt from penetrating it. It protects the material from external agents and enhances its natural beauty.



| Stock No. | Size |
|-----------|------|
| 34.65.23  | 1ltr |

## STONECHEM ZIMBA BLACK

StoneCHEM Zimba Black is a longlasting sealant formulated to saturate surfaces and to cover the stains present in black Zimbabwe.

ZIMBABLACK contains special pigments used to darken black marble and granite such as: Black Africa, Black Zimbabwe, Black Marquinia, etc. Green granites such as: Alpine Green, Guatemala Green, etc giving them a wet look and refreshing the colours for several years and restoring the brilliance to those dulled colours. The product reduces the surface defects such as slight scratches produced during the various smoothing and/or polishing phases of the marble, granite or natural stone surfaces. ZIMBABLACK is not affected by UV rays so it can be applied on external surfaces aswell. The treated surfaces become darker, have a more uniform appearance and quality is improved. As ZIMBABLACK is water repellent it protects the surface from humidity by penetrating deep below the surface, while maintaining the intial look over a long period of time.



| Stock No. | Product     | Size |
|-----------|-------------|------|
| 34.65.43  | Zimba Black | 1ltr |

## QUARTZ CARE KIT



Maintenance kit for the cleaning of resin-bonded quartz composites.

Kit includes:

- ◆ Cleaner detergent 150ML
- ◆ Shine maintenance 150ML
- ◆ Anti-scratch Nonwoven cloth.



| Stock No. | Description     |
|-----------|-----------------|
| 34.65.02  | Quartz Care Kit |

## INVIGOR8

Solvent-based penetrating product, with marked colour-enhancing features, used for the treatment of marble, granite and stones in all finishing, to boost the colour and the brilliance, enhancing the grain of the materials.



| Stock No. | Product  | Size |
|-----------|----------|------|
| 35.187.01 | Invigor8 | 1ltr |

# SEAM-IT ADHESIVE

## SEAM-IT ADHESIVE



Available exclusively in the UK from Stonegate, Seam-It Stone Adhesive by SCIGRIP is the ultimate product for seaming and edging granite, quartz and other engineered stone surfaces. Use on ultra-compact surfaces and available in over 50 colours the Seam-it range is the ideal choice as it gives superior strength and an even, consistent cure as well as being easy to apply with our Twin Tube Sealant Gun (Stock No.50.138.01). The new MMA acrylic formulation offers superior strength and offers a significantly better bond on stone than polyester-based adhesives and provides an even, consistent cure whilst being easy-to-apply and achieving the most aesthetically pleasing seams.

We offer the full 50+ colour range from Seam-It, though only keep stock the most popular colours. If you're looking for a particular colour, use the colour swatch to choose the best colour to match your surface and get in touch with us; we will do our utmost to make sure your Seam-It is with you as soon as possible.



| Stock No. | Colour            | Tube Size | Box Quantity |
|-----------|-------------------|-----------|--------------|
| 36.138.00 | Ice               | 250ml     | 20           |
| 36.138.02 | Summit White      | 250ml     | 20           |
| 36.138.06 | Noir              | 250ml     | 20           |
| 36.138.07 | Simply White      | 250ml     | 20           |
| 36.138.08 | Opal              | 250ml     | 20           |
| 36.138.09 | Shadow            | 250ml     | 20           |
| 36.138.10 | Meringue          | 250ml     | 20           |
| 36.138.11 | Hot Chocolate     | 250ml     | 20           |
| 36.138.12 | Whiskeyjack       | 250ml     | 20           |
| 36.138.13 | Truffle           | 250ml     | 20           |
| 36.138.14 | Deep Space        | 250ml     | 20           |
| 36.138.15 | Pierre Blue       | 250ml     | 20           |
| 36.138.16 | White Star        | 250ml     | 20           |
| 36.138.17 | Cuttlefish        | 250ml     | 20           |
| 36.138.18 | Nimbus Grey       | 250ml     | 20           |
| 36.138.19 | Sterline          | 250ml     | 20           |
| 36.138.20 | Mystic            | 250ml     | 20           |
| 36.138.21 | Mississippi Mud   | 250ml     | 20           |
| 36.138.23 | Noir              | 250ml     | 20           |
| 36.138.24 | Poppyseed         | 250ml     | 20           |
| 36.138.25 | Heirloom Grey     | 250ml     | 20           |
| 36.138.26 | Fresh Powder      | 250ml     | 20           |
| 36.138.27 | Mimic             | 250ml     | 20           |
| 36.138.28 | Grigio            | 250ml     | 20           |
| 36.138.29 | Sand Dollar       | 250ml     | 20           |
| 36.138.30 | Marscarpone       | 250ml     | 20           |
| 36.138.31 | Bismuth           | 250ml     | 20           |
| 36.138.32 | Caramel           | 250ml     | 20           |
| 36.138.33 | Havana            | 250ml     | 20           |
| 36.138.34 | Tundra            | 250ml     | 20           |
| 36.138.35 | Buttercream       | 250ml     | 20           |
| 36.138.36 | Rainstorm         | 250ml     | 20           |
| 36.138.37 | Rocky Mountain    | 250ml     | 20           |
| 36.138.97 | Nozzle (New Type) | 250ml     | 20           |

## NOZZLE FOR TUBES

Stock

No.

36.138.97



## TWIN TUBE SEALANT GUN

To be used with our Parrot adhesive, these guns are specifically designed to hold the twin tube sealants. The robust guns are fitted with a ratchet propelled twin piston which forces against the syringe plungers giving an even, reliable flow of material.

Stock No.

50.138.01



# SEAM-IT ADHESIVE

## GETTING THE MOST FROM YOUR ADHESIVE

It's important to us that our customers understand how to get the most from their stone adhesive to ensure that they produce high-quality work. In order to get the most from the glue, understanding what the product is, how it works and how to use it is absolutely essential. In this article, we're going to cover some of the most important aspects of Seam-It Glue:

Seam-It Seaming Adhesive is the first in the latest generation of perfectly colour-matched adhesives for the stone surfacing industry and a range of colours which keeps on growing! Formulated from MMA acrylic, the glue has been developed to guarantee a significantly stronger bond on stone than polyester glues which is what makes it perfect for ultra-compact surfaces - this superior strength means peace of mind over the long-term as well as the fact that Seam-It is incredibly resistant to water, scuffing, UV light, impact & high temperatures.

Seam-It is packaged within a 250ml,10:1 cartridge - the two components are mixed within the specially engineered nozzles when used with the **Stonegate Twin Tube Sealant Gun** which has been specifically designed for use with these products. The chemical reaction begins as soon as two components are combined in the nozzle - they then need to be effectively applied to the two parts to be mated within this working time. Seam-It has a rapid curing time so it's important to ensure that before you begin you have all the materials accessible to maximise the curing time. The curing information for a room temperature cure is here:

|                              |                           |
|------------------------------|---------------------------|
| <b>Working Time</b>          | 10 - 15 minutes           |
| <b>Fixture Time</b>          | 20 - 30 minutes           |
| <b>Operating Temperature</b> | 0°C - 50°C (32°F - 122°F) |
| <b>Mixed Density</b>         | 1.11 g/L                  |


























## STORAGE OF SEAM-IT

The standard shelf-life of the Seam-It Adhesive is one year when stored at the recommended temperature range of 5°C - 20°C. Storing the glue at higher temperatures for a prolonged period will reduce the shelf-life as it changes the curing properties of the component chemicals. Storing in extreme temperatures over 35°F will significantly change the properties of the product and diminish the activator chemical. Seam-It Adhesive cannot be frozen.

## SEAM-IT ADHESIVE

VISIT SEAM-IT.EU FOR COLOUR CHARTS  
AND MORE PRODUCT INFORMATION

## SWATCHES

























|                      |              |  |
|----------------------|--------------|--|
| Mustang              | SI205        |    |
| Sandy Brown          | SI414        |    |
| Chamois              | SI403        |    |
| Shea                 | SI415        |    |
| <b>*Fresh Powder</b> | <b>SI601</b> |    |
| <b>*Caramel</b>      | <b>SI402</b> |    |
| <b>*Cuttlefish</b>   | <b>SI303</b> |    |
| Champagne            | 3118         |    |
| <b>*Grigio</b>       | <b>SI306</b> |    |
| <b>*Ice</b>          | <b>SI304</b> |    |
| <b>*Meringue</b>     | <b>SI408</b> |    |
| Oakwood              | SI411        |    |
| <b>*Poppyseed</b>    | <b>SI313</b> |    |
| <b>*Truffle</b>      | <b>SI209</b> |    |
| <b>*Havana</b>       | <b>SI200</b> |    |
| <b>*Pierre Blue</b>  | <b>SI312</b> |   |
| <b>*Deep Space</b>   | <b>SI101</b> |  |
| <b>*Summit White</b> | <b>SI608</b> |  |
| Matador Red          | SI500        |  |
| Rainstorm            | SI314        |  |
| Orca                 | SI104        |  |
| Travertine           | SI416        |  |
| <b>*Mimic</b>        | <b>SI605</b> |  |

\*These products are in stock for immediate delivery. All other products on the list are available within 48 hours.

## SEAM-IT ADHESIVE


VISIT SEAM-IT.EU FOR COLOUR CHARTS  
AND MORE PRODUCT INFORMATION

## SWATCHES

|                         |              |   |
|-------------------------|--------------|---|
| Rocky Mountains         | SI315        |    |
| Hot Chocolate           | SI202        |    |
| Parchment               | SI412        |    |
| <b>*Heirloom Grey</b>   | <b>SI307</b> |    |
| <b>*Nimbus Grey</b>     | <b>SI311</b> |    |
| <b>*Whiskeyjack</b>     | <b>SI319</b> |    |
| Teardrop                | SI310        |    |
| <b>*Opal</b>            | <b>SI606</b> |    |
| <b>*Bismuth</b>         | <b>SI300</b> |    |
| Thyme                   | SI201        |    |
| <b>*Noir</b>            | <b>SI103</b> |    |
| <b>*Sand Dollar</b>     | <b>SI316</b> |    |
| Sterling                | SI318        |    |
| Teak                    | SI207        |    |
| <b>*Shadow</b>          | <b>SI317</b> |    |
| Adobe                   | SI400        |   |
| Lightning               | SI309        |  |
| <b>*Mississippi Mud</b> | <b>SI204</b> |  |
| Inkwell                 | SI102        |  |
| Transparent             | 271          |  |
| <b>*Simply White</b>    | <b>SI607</b> |  |
| <b>*Mascarpone</b>      | <b>SI603</b> |  |
| <b>*White Star</b>      | <b>SI609</b> |  |
| Tundra                  | SI610        |  |

## SEAM-IT ADHESIVE CHART

| PRODUCT CODE | COLOUR          | SILESTONE MATCHES   | QUANTITY |
|--------------|-----------------|---|----------|
| 36.138.97    | Nozzle          | -   | 250ml    |
| 36.138.00    | Ice Clear       | -   | 250ml    |
| 36.138.02    | Summit White    | Blanco Maple Orna, Blanco matrix, Blanco Norte, Blanco Orion.   | 250ml    |
| 36.138.06    | Noir            | Magma, Marquina, Negro Anubis, Negro Stellar, Negro Tebas, Rainforest, Starlight, Stellar Night, Tao, Tebas Black, Black Anubis, Black Forest, Doradus, Doradus Polished. | 250ml    |
| 36.138.07    | Simply White    | Blanco Calacatta, Iconic White, White Storm, White Zeus, White Zeus Extreme   | 250ml    |
| 36.138.08    | Opal            | Blanco Zeus, White Zeus   | 250ml    |
| 36.138.09    | Shadow          | Grey Moss, Marengo, Siridium, Tritium   | 250ml    |
| 36.138.10    | Meringue        | Blanco Capri, Capri Limestone, External Marfil, Haiku, Tigris Sand, Vortium   | 250ml    |
| 36.138.11    | Mocha           | -   | 250ml    |
| 36.138.13    | Truffle         | Carbono, Dragon Black, External Emperador Polished, Merope, Merope Leather  | 250ml    |
| 36.138.14    | Deep Space      | Black Canyon, Ebony Peal, Green River   | 250ml    |
| 36.138.15    | Pierre Blue     | Aguzul, Ebony Pearl   | 250ml    |
| 36.138.16    | White Star      | Ariel, Blanco Maple Orna, Blanco Matrix, N-boost Eternal Calacatta Gold Suede   | 250ml    |
| 36.138.18    | Nimbus Grey     | Blanco Maple, Blanco Orion, Blanco Stellar, Classic Calacatta, Lusso, Mont Blanc, Polar Cap, Snowy Ibiza, Stellar Snow, White Diamond                                     | 250ml    |
| 36.138.19    | Sterling        | Aluminio Nube, Niebla, Serena   | 250ml    |
| 36.138.20    | Mystic          | Desert Silver, Desert Silver N Boost, Helix Suede, Lagoon, Lagoon Polished, Lyra, Pulsor Polished   | 250ml    |
| 36.138.21    | Mississippi Mud | Iron Ore, Mountain Mist   | 250ml    |
| 36.138.24    | Poppyseed       | Absolute Green, Aguzul, Atlantis, Verde Medea, Zirconium  | 250ml    |
| 36.138.25    | Heirloom Grey   | Blue Cielo, Eternal Serna Suede, Forest Snow, Serena, Silver Nube   | 250ml    |
| 36.138.26    | Fresh Powder    | Arctic, Pearl Jasmine, Selene   | 250ml    |
| 36.138.27    | Mimic           | Zirix, Zynite   | 250ml    |
| 36.138.29    | Sand Dollar     | Cygnus Leather, Kensho, Olive Green, Stellar Sky  | 250ml    |
| 36.138.30    | Mascarpone      | Pietra  | 250ml    |
| 36.138.31    | Bismuth         | -   | 250ml    |
| 36.138.32    | Caramel         | Giallo Nova, Kimbler Mist, Mediterranean, Pacifica, Quasar, Zirix, Zynite   | 250ml    |
| 36.138.33    | Havana          | Dreis Polished, Terra   | 250ml    |
| 36.138.34    | Tundra          | Blanco Dail, Luna, White North, White Platinum  | 250ml    |
| 36.138.35    | Buttercream     | Blanco Maple, Mont Blanc, White North   | 250ml    |
| 36.138.36    | Rainstorm       | Altair Leather, Altair Polished, Cemento, Cemento Spa Suede, Istmo Polished   | 250ml    |
| 36.138.37    | Rocky Mountains | Chrome, Gery Expo, Gris Expo Suede, Steel   | 250ml    |



# HAND TOOLS & ACCESSORIES

- / Handtools
- / Aprons
- / Knife Blades
- / Pens & Markers
- / Workshop Tools
- / Glue & Silicone Guns

It isn't just the larger tools Stonegate provides, but also a full range of hand-tools and every day accessories that you need in your workshops. So if you're looking for pens & markers, sealant guns, measuring tools, knives & blades and every type of tape, then get in touch with the Stonegate team and we can help you.

## HAND TOOLS & ACCESSORIES

### 100MM / 4" AIR POLISHER - GPW-7

- ◆ Low vibration noise with excellent performance
- ◆ Gravity casting housing for longer tool life
- ◆ 3 section shifting knob enables user to adjust frequency of air for speed control
- ◆ Centre water feed function reduces dust and improves environment protection
- ◆ Water valve can be adjusted for variable water flow
- ◆ Includes a reversible side handle, exhaust muffler, air hose adapter and water valve with hose adapter Both 3" and 4" pads available
- ◆ Lightweight (1.3Kg) and compact design means it's suitable for single hand operation and access to restricted areas
- ◆ Recommended 15cm to run most effectively



| Stock No. | PSI | Power (W) | Disc Diameter | RPM    |
|-----------|-----|-----------|---------------|--------|
| 42.48.00  | 90  | 1HP       | 75-100mm      | 0-4500 |

| Stock No. | Description                       |
|-----------|-----------------------------------|
| 42.48.04  | Rear Exhaust Grip Lever           |
| 42.48.05L | Rear Exhaust Top Safety Lever     |
| 42.48.01  | Rear Exhaust, Grip Lever          |
| 42.48.02  | Wet Air Flute Polisher            |
| 42.48.03  | Side Exhaust, Bottom Safety Lever |
| 42.48.24  | Air Polisher Socket Spanner       |
| 42.48.26  | Air Polisher Water Shroud         |

Other spare parts also available Other air tools available in stock and to order - please ask.

### 180MM WET AIR GRINDER (6,500RPM) - GPW-216C

For grinding and cutting wet, reducing all dust.



| Stock No. | Power | Disc Diameter (mm) | RPM  |
|-----------|-------|--------------------|------|
| 42.48.06  | 1HP   | 180                | 6500 |

### 125MM WET AIR GRINDER (11,000RPM) - GPW-215C

For grinding and cutting wet, reducing all dust.



| Stock No. | Power | Disc Diameter (mm) | RPM    |
|-----------|-------|--------------------|--------|
| 42.48.07  | 1HP   | 125                | 11,000 |

### SLEEVED APRON

Stonegate's sleeved apron is a great bit of kit to keep you dry on the job. Black in colour this waterproof apron features cuffed sleeves to allow it to comfortably sit on your wrist. The clip buckle at the back is adjustable making for a versatile fit for all sizes and the comfortable elastic neck strap gives the fabricator maximum comfort throughout the working day. The apron is built to endure against heavy use while remaining light and comfortable for the user.



| Stock No. | Description                  |
|-----------|------------------------------|
| 53.01.22  | Sleeved Rubber Apron (Large) |

### THE STONEGATE APRON

The Stonegate double buckle apron is designed with the fabricator in mind. The double buckle feature allows the apron to sit comfortably on the fabricator's shoulders without the irritating neck strap.

Black in colour featuring the trusted Stonegate logo the apron also features adjustable straps, making it a versatile choice for a variety of sizes and shapes. Fully waterproof, heavy-duty but light to wear make this apron a fabricators favourite!



| Stock Number | Description                    |
|--------------|--------------------------------|
| 53.01.23     | Rubber Apron With Cross Braces |

### HEAVY DUTY KNIFE BLADES

Heavy-duty, super-sharp knife blades made from snap-resistant steel and manufactured in Sheffield. Suitable for all standard trimming blades. Supplied as one pack of 100 blades.



| Stock Number | Description                           |
|--------------|---------------------------------------|
| 74.19.00     | Heavy Duty Knife Blades (Pack Of 100) |

### RAZOR BLADES

Extremely sharp and thin rectangle razor blades for removing paint, silicone, adhesive and for scraping adhesive joints flush. Box of 100 with safety card covers on each blade.



| Stock Number | Description                |
|--------------|----------------------------|
| 74.19.04     | Razor Blades (Pack Of 100) |

### RETRACTABLE KNIFE

Knife for holding standard knife blades.



| Stock Number | Description       |
|--------------|-------------------|
| 74.19.06     | Retractable Knife |

### RAZOR BLADE HOLDER

Holder for safe use of razor blades.



| Stock Number | Description        |
|--------------|--------------------|
| 74.19.05     | Razor Blade holder |

### PENS AND MARKERS

Waterproof wood-cased pencil for opaque marking on almost all surfaces even on dark or transparent ones, e.g. paper, plastic, metal, glass, wood, leather and stone. Non-corrosive colour pigments. Wood from certified, sustainably managed forests.



| Stock Number | Description                          |
|--------------|--------------------------------------|
| 50.35.22     | China Marker Pencils - White (pk12)  |
| 50.35.23     | China Marker Pencils - Black (pk12)  |
| 50.35.26     | China Marker Pencils - Red (pk12)    |
| 50.35.28     | China Marker Pencils - Yellow (pk12) |

### 5M TAPE MEASURE

5 Metre contract range tape measure.




| Stock Number | Description                  |
|--------------|------------------------------|
| 50.148.25    | 5M Tape Measures - Stonegate |



| Stock Number | Description       |
|--------------|-------------------|
| 50.16.00     | 50mm Hand Scraper |



| Stock Number | Description                    |
|--------------|--------------------------------|
| 50.90.00     | 150mm(6") Speedy Ratchet Clamp |



| Stock Number | Description                   |
|--------------|-------------------------------|
| 50.64.45     | Squeegee Blade & Handle 300mm |

### DISPENSER FOR SEAMIT

To be used with 10:1 cartridge adhesive, these guns are specifically designed to hold the twin tube sealants. Also comes with adaptors in the pack to convert to 1:1 cartridges too. The robust guns are fitted with a ratchet propelled twin piston which forces against the syringe plungers giving an even, reliable flow of material.



| Stock Number | Description   |
|--------------|---|
| 50.138.01    | Dispenser for SeamIt 250ml Cartridges VBM (MR) 200X |

### DISPENSER FOR ROD-IT

To be used with 10:1 490ml cartridge adhesive, these guns are specifically designed to hold the large cartridges. The robust guns are fitted with a ratchet propelled twin piston which forces against the syringe plungers giving an even, reliable flow of material.



| Stock Number | Description                   |
|--------------|-------------------------------|
| 50.138.02    | Dispenser for Rod-It Compound |

### SILICONE/SEALANT GUN

Contract silicone sealant gun for standard 300/310ml tubes.



| Stock Number | Description          |
|--------------|----------------------|
| 50.90.05     | Silicone/Sealant Gun |

### GEARED SILICONE GUN

Geared Silicone Sealant Gun for smooth and easy application of silicone sealants. Particularly suited to more viscous silicone sealants.



| Stock Number | Description         |
|--------------|---------------------|
| 50.90.06     | Geared Silicone Gun |

### MASKING TAPE

Masking tape for taping adhesive joints etc.



| Stock Number | Description                 |
|--------------|-----------------------------|
| 53.17.25     | 25mm Wide Masking Tape Roll |
| 53.17.50     | 50mm Wide Masking Tape Roll |

### GAFFA TAPE

Gaffa Tape for taping correx boards together etc.



| Stock Number | Description              |
|--------------|--------------------------|
| 53.17.51     | 50mm Gaffa Tape (Silver) |



# INSTALLATION

- / Reinforcement Rods
- / Sink Clips
- / Brackets



Protecting your hard worked stone during installation is essential and Stonegate's range of quality protective and installation equipment is both high quality and cost effective, so you can be assured your work can be finished on site accurately and safely.

## REINFORCEMENT MATERIALS

### GRP REINFORCEMENT ROD

GRP strengthening bar to reinforce any material across sink cut outs. An alternative to traditional steel rods that doesn't rust.



| Stock No. | Size         |
|-----------|--------------|
| 53.45.10  | 10mm x 2.5mm |

### GRP REINFORCEMENT ROD HOLDER

GRP strengthening bar roll holder to keep roll together whilst in use.



| Stock No. |
|-----------|
| 53.140.11 |

### GRP REINFORCEMENT ROD WITH CARBON FIBRE EDGES

10mm GRP rod, 100m roll with carbon fibre edges making it 20% stronger than standard GRP rod.



| Stock No. | Size         |
|-----------|--------------|
| 53.45.11  | 10mm x 2.5mm |

### BOLT-IT

Master Mount's Bolt-It provides a quick, easy and secure sink installation for all varieties of sinks. Package Quantity: 50 Clips Directions for use: Drill a small hole and glue the clip in place. Slide the sink into position under the clip and tighten the bolt to secure the sink.



| Stock No. | Description                   |
|-----------|-------------------------------|
| 53.199.05 | Master Mount: Bolt-It (PK 50) |

## MASTERMOUNT



This brand-new range of sink fixings gives you more freedom in how you mount your sink. Designed with the fitter in mind each clip provides a solution to even the trickiest of installations. However you mount your sink, make sure it's a Master Mount.

### EPOXY CLIPS - Z-CLIP

Master Mount's Epoxy clip for Ceramic Sinks. Package Quantity: 50 Clips. Directions for use: Glue the bottom clip in place with a strong adhesive like Seam-It and then bolt the fixing on top to secure the sink in place



| Stock No. | Description   |
|-----------|---|
| 53.195.01 | Master Mount: Epoxy Ceramic Sink Z-Clip Kit (Pk 50) |

### EPOXY CLIPS - SINK CLIP


Master Mount's Epoxy clip for Stainless Steel Sinks. Package Quantity: 50 Clips. Directions for use: Glue the bottom clip in place with a strong adhesive like Seam-It and then bolt the fixing on top to secure the sink in place



| Stock No. | Description   |
|-----------|---|
| 53.199.02 | Master Mount: Epoxy Stainless Steel Sink Clip Kit (Pk 50) |

### G-CLIP

Master Mount's G-Clips & Hockey Sticks are the fabricators favourite for the installation of sinks. 100 sets in a box. Directions for use: Simply cut into the stone and hammer in place.



| Stock No. | Description                                      |
|-----------|--|
| 53.101.00 | Master Mount: G - Clip & Hockey Stick (100 Sets) |

### SINK STUD

Master Mount's Sink Stud is a tiny but powerful solution for sink installations. The sink stud allows you the freedom of choice to secure your sink installation with whatever fixing you prefer. Package Quantity: 100 Studs. Directions for use: Drill a small hole and glue the stud in place. Then secure the sink with the washers of your choosing. (washers not included)



| Stock No. | Description                   |
|-----------|-------------------------------|
| 53.199.05 | Master Mount: Bolt-It (PK 50) |

### SLIM BRACKET

Master Mount's Slim Bracket is perfect for those tight sink installations, providing an excellent solution to compact spaces. Package Quantity: 1 pair. Directions for use: Bolt into the side of the cabinet and then secure to the sink at the top, by tightening the screw.



| Stock No. | Description                       |
|-----------|-----------------------------------|
| 53.199.04 | Master Mount: Slim Bracket (1 PR) |

Tel:+44(0)1482620400

Fax:+44(0)1482581099

Email:info@stonegatetooling.co.uk

www.stonegatetooling.com

#investinginyou

 Stonegate Precision Tooling Ltd

 Stonegate Precision Tooling Ltd

 Stonegatetool

 Stonegate Precision Tooling Ltd